

Ranger Hybrid

2025.50MY



5 YEAR
150,000
KILOMETRE
WARRANTY
WHICHEVER COMES FIRST

8 YEAR
160,000 KM
BATTERY
WARRANTY
WHICHEVER COMES FIRST

Ford



XLT HYBRID



WILDTRAK HYBRID



STORMTRAK HYBRID

	XLT	WILDTRAK	STORMTRAK
Body	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up	4x4 Double Cab Pick-Up
Engine	Plug-in Hybrid 2.3L EcoBoost	Plug-in Hybrid 2.3L EcoBoost	Plug-in Hybrid 2.3L EcoBoost
Engine			
Engine Max Power	138kW @ 4600 RPM	138kW @ 4600 RPM	138kW @ 4600 RPM
Engine Max Torque	411Nm @ 2700 RPM	411Nm @ 2700 RPM	411Nm @ 2700 RPM
E-Motor Power	75KW	75KW	75KW
System Max Power	207kW @ 4600 RPM	207kW @ 4600 RPM	207kW @ 4600 RPM
System Max Torque	697Nm @ 2500 RPM	697Nm @ 2500 RPM	697Nm @ 2500 RPM
Battery (Usable)	11.8kWh	11.8kWh	11.8kWh
Transmission			
10-Speed Automatic Modular Hybrid Transmission	S	S	S
Driveline			
Full-time 4WD	S	S	S
Selectable Drive Modes ¹ :			
Normal	S	S	S
Eco	S	S	S
Tow / Haul	S	S	S
Slippery	S	S	S
Mud / Ruts ²	S	S	S
Sand ³	S	S	S
Sport	S	S	S
EV Drive Modes:			
Auto EV	S	S	S
EV Now	S	S	S
EV Later	S	S	S
EV Charge	S	S	S
Fuel & Electric ⁴			
Combined Fuel Economy (L/100km)	2.8L/100km	2.8L/100km	2.8L/100km
Electric Driving Energy Consumption (Wh/km)	226	226	226
Estimated Electric Driving Range (km)	43	43	43
CO2 Emissions (g/km)	64	64	64
Fuel Tank Capacity (L)	70	70	70
Fuel Type	Petrol	Petrol	Petrol
Capless Refuelling with Electric Release	S	S	S
Vehicle Charging			
Max Charge Rate AC	3.5kW	3.5kW	3.5kW
Estimated Charge Time 0-100% - 2.3kW (10A @ 230V)	6 Hours 53 mins	6 Hours 53 mins	6 Hours 53 mins
Estimated Charge Time 0-100% - 3.5kW (15A @ 230V)	4 hours	4 hours	4 hours
Pro Power Onboard ⁵			
Maximum Total System Output	6.9kW	6.9kW	6.9kW
Tray Socket Quantity	2	2	2
Maximum Tray Socket Output (per socket)	3.45kW (230V / 15A)	3.45kW (230V / 15A)	3.45kW (230V / 15A)
Cabin Socket Quantity	1	1	1
Maximum Cabin Socket Output	2.3kW (230V / 10A)	2.3kW (230V / 10A)	2.3kW (230V / 10A)
Vehicle Masses (kg) ⁶			
Gross Combined Mass	6580	6580	6580
Gross Vehicle Mass	3500	3500	3500
Front Gross Axle Weight Rating	1490	1490	1490
Rear Gross Axle Weight Rating	2100	2100	2100
Kerb Weight	2527	2615	2692
Payload (based on Kerb Weight)	973	885	808
Maximum Kerb Weight	2690	2705	2715
Payload (based on Max Kerb Weight)	810	795	785
Pick-up Box Dimensions (mm)			
Height - at centreline of axle	498	498	498
Height - floor height to ground	866	874	874
Length - at floor	1638	1638	1638

	XLT	WILDTRAK	STORMTRAK
Length - top of box	1471	1471	1471
Width - between wheelhouses	1233	1233	1233
Width - pick-up box	1584	1584	1584
Width - rear opening	1413	1413	1413
Exterior Dimensions ⁷ (mm)			
Length - without tow receiver ⁸	5350	5350	5350
Length - with tow receiver ⁸	5386	5386	5386
Width - exterior mirrors extended	2207	2207	2207
Width - exterior mirrors folded	2015	2015	2015
Width - excluding mirrors	1924	1924	1924
Height - to top of antenna base	1871	1878	1878
Overhang - front	865	865	865
Overhang - rear	1215	1215	1215
Track - front and rear	1630	1630	1630
Wheelbase	3270	3270	3270
Ground Clearance (unladen)	215	226	226
Wading Depth ⁹	800	800	800
Approach Angle (unladen, degrees)	28.9	30.2	30.2
Departure Angle (unladen, degrees) ¹⁰	23.9	24.2	24.2
Ramp Breakover Angle (degrees)	19.6	20.4	20.4
Turning Circle (meters)	12.9	12.9	12.9
Interior Dimensions ⁹ (mm)			
2nd Row Headroom	989	989	989
2nd Row Legroom	879	879	879
2nd Row Shoulder Room	1440	1440	1440
Front Headroom	1022	1024	1024
Front Legroom	1097	1097	1097
Front Shoulder Room	1450	1450	1450
Chassis & Suspension			
Front and Rear Vented Discs with Electronic Brake Booster	S	S	S
Electrical Power Assisted Steering	S	S	S
Locking Rear Differential	S	S	S
Wheels and Tyres			
17" Alloy with All Season Tyres	S		
18" Alloy with All Season Tyres		S	S
Spare Wheel - 17" Alloy ¹¹	S		
Spare Wheel - 18" Alloy ¹¹		S	S
Exterior Lighting			
Headlamps - Halogen	S		
Headlamps - Matrix LED with Auto Leveling & Dynamic Bending		S	S
Daytime Running Lamps - Halogen	S		
Daytime Running Lamps - LED		S	S
Front Fog Lamps - Halogen	S		
Front Fog Lamps - LED		S	S
Rear Fog Lamp	S	S	S
Taillamps - LED	S	S	S
Tailgate Mounted Stop Light	S	S	S
Zone Lighting ¹²		S	S
Exterior			
Exterior Mirrors - Power Adjustable	S	S	S
Exterior Mirrors - Power Folding	S	S	S
Exterior Mirrors - Puddle Lamps		S	S
Exterior Mirrors - Heated	S	S	S
Steel Underbody Protection	S	S	S
Side Steps	S	S	S
Rear Box Step	S	S	S
Roof Rails		S	S
Sports Hoop/Sailplane ¹³		S	
Flexible Rack System ¹⁴			S

	XLT	WILDTRAK	STORMTRAK
Active Grille Shutter	S	S	S
Load Box Elements			
Drop In Bedliner	S	S	S
Box Top Protective Capping with Load Box Access Caps	S		
Aluminium Tie Down Rails		S	
Inner Tie Downs	S	S	S
Cargo Management System		S	S
Load Box Illumination	S	S	S
Tailgate Cargo Clamps	S	S	S
Tailgate Cupholders	S	S	S
Power Tailgate Lock	S	S	S
Tailgate with Lift Assistance	S	S	S
Power Roller Shutter		S	S
Interior, Seating and Door Trim			
Steering Wheel Reach & Height Adjust	S	S	S
Electric Parking Brake	S	S	S
e-Shifter	S	S	S
Seating Capacity	5	5	5
Heated Seats - Front Driver & Passenger		S	S
Seat Material - Premium Cloth	S		
Seat Material - Leather Accented (excluding 2nd row middle seat)		S	S
Driver Seat - 8-Way Manual	S		
Driver Seat - 8-Way Power		S	S
Front Passenger Seat - 4-Way Manual	S		
Front Passenger Seat - 8-Way Power		S	S
Child Seat Upper Anchorage Points (x2)	S	S	S
Child Seat ISOFIX Anchorage Points (x2)	S	S	S
Floor Covering – Vinyl	O		
Floor Covering - Carpet	S	S	S
Floor Mats - Driver & Front Passenger	S	S	S
Floor Mats – Rear		S	S
Comfort and Convenience			
Ambient Lighting		S	S
Auxiliary Switch Bank	S		S
Centre Console with Single Lid and 2 Cup Holders	S	S	S
Instrument Panel Cup Holders		S	S
Charging:			
Interior 12V Power Outlet	1	1	1
USB Ports	4	4	4
Wireless Charging ¹⁵		S	S
Climate Control - Dual-Zone	S	S	S
Rear Air Vent Registers	S	S	S
Auto Headlamp On-Off	S	S	S
Auto High Beam		S	S
Power Windows - One Touch Up/Down	S	S	S
Privacy Glass		S	S
Rain Sensing Windscreen Wipers	S	S	S
Rear Window Defrost	S	S	S
Electrochromatic Rear View Mirror	S	S	S
Underseat Stowage	S	S	S
Accoustic Laminated Windscreen	S	S	S

	XLT	WILDTRAK	STORMTRAK
Audio and Communication			
Embedded Modem	S	S	S
FordPass Connect ¹⁶	S	S	S
Colour Digital Instrument Cluster with Configurable Display - 8-inch	S	S	S
Colour Multi-Function Touch Screen Display - 12-inch	S	S	S
Speakers	6	8	8
B&O Premium Audio System ¹⁷		S	S
Bluetooth® with Phone/Audio Streaming ¹⁸	S	S	S
Built-In Satellite Navigation with one year of Connected Navigation Services included ¹⁹	S	S	S
SYNC®4A with Voice-Activated Controls	S	S	S
Steering Wheel Audio/Function Control	S	S	S
Wireless Apple CarPlay™ & Android Auto™	S	S	S
Safety & Security			
Perimeter Alarm System	S		
Volumetric and Inclination Perimeter Alarm System		S	S
Airbags x 9 - Front, Side, Knee & Full Length Curtain (Driver & Passenger) & Far Side Driver Front Airbag	S	S	S
3 Point Lap Sash Seat Belt - All Positions	S	S	S
Child Proof Rear Door Locks	S	S	S
Power Door Locks	S	S	S
Smart Keyless Entry with Push Button Start	S	S	S
Driver Assistance¹			
Adaptive Cruise Control	S		
Intelligent Adaptive Cruise Control with Stop & Go, Traffic Sign Recognition and Lane Centering		S	S
Intelligent Speed Assist	S	S	S
Blind Spot Monitoring with Cross Traffic Alert	S	S	S
Dynamic Stability Control (DSC) incorporating ABS, Electronic Brakeforce Distribution, Emergency Brake Assist, Hill Start Assist, Roll Stability Control, Traction Control and Trailer Sway Control	S	S	S
Evasive Steer Assist	S	S	S
Lane Keeping Aid with Road Edge Detection and Driver Alert System	S	S	S
Post Impact Braking	S	S	S
Pre-Collision Assist with Autonomous Emergency Braking (AEB)	S	S	S
Reverse Brake Assist	S	S	S
Parking Sensors - Front	S	S	S
Parking Sensors - Rear	S	S	S
Rear View Camera	S		
360-Degree Camera		S	S
Traffic Sign Recognition	S	S	S
Tyre Pressure Monitoring System	S	S	S
Towing			
Maximum Braked Towing Capacity (kg) ²⁰	3500	3500	3500
Pro Trailer Back-up Assist™		S	S
Tow Bar with Integrated Trailer Brake Controller ²¹	S	S	S
Trailer Light Check ²²	S	S	S
Towing Vehicle Integration with Towing Checklist	S	S	S
Tow Haul Mode (part of Selectable Drive Modes)	S	S	S
Off-Road			
Off-Road Screen	S	S	S
Hill Descent Control	S	S	S
Locking Rear Differential	S	S	S
Front Recovery Hook	1	2	2
S = Standard O = Optional			

Disclaimers

1. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. 2. Mud/Rut Mode intended for off-road use only. 3. Sand Mode intended for off-road use only. 4. Fuel consumption and emissions as per WLTP3 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, revailing conditions and the vehicle's equipment, options and accessories, condition and use. 5. Pro Power Onboard offers up to a maximum total power output of 6.9kW in the Ranger Hybrid range. Pro Power Onboard has three power outlets-one in cabin and two in load box. 2.3kW limit on cabin and 3.45kW limit on each load box outlet provided there is a maximum power output of up to 6.9KW. 2.3kW limit on each outlet when all outlets are used simultaneously provided there is a maximum power output of up to 6.9KW. Pro Power Onboard may not sufficiently power all equipment and its use will decrease battery charge. 6. Kerb Weight includes the standard vehicle with a full tank of fuel, without occupants, luggage, cargo, accessories or options. Spare wheel adds 39kg to the Kerb Weight. Maximum Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with the heaviest possible combination of factory fitted optional equipment included. All payloads are calculated by deducting either the vehicle's Kerb Weight, Maximum Kerb Weight or Tare Weight from its Gross Vehicle Mass (GVM), Payload (based on Kerb Weight) is the maximum combined value of occupants, cargo, added accessories, added structures and tow ball download (when towing). Vehicle weights are approximate and subject to individual variances. Vehicles should be weighed before and after adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM), Gross Combined Mass (GCM) and Gross Axle Weight Ratings are not exceeded. 7. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. All Pick-up box dimensions take into account the Drop-In Bedliner where standard. 8. Vehicle length measured from front license plate bracket. 9. 800mm Water Wading achieved when maintaining a steady speed of 7 km/h. 10. Inclusive of tow bar where standard. 11. Spare Wheel adds 39kg to Kerb Weight of vehicle. 12. Zone Lighting will not operate if battery charge is insufficient. The length of time that Zone Lighting will operate depends on the battery charge, the types of lights fitted to the vehicle (LED or Bulb) and other electrical loads connected to the vehicle. The system will automatically turn off after a period of time to preserve the battery's engine starting performance. 13. Sports Hoop/Sailplane, Aluminum Tie Down Rails and Power Roller Shutter (Wildtrak) and Box Top Protective Capping with Load Box Access Caps not available when Canopy option selected. Drop In Bedliner may be trimmed to accommodate mounting brackets. 14.Flexible Rack System has a maximum load limit 80kg (dynamic) and 250kg (static). Manual set-up required. Removal of antenna mast recommended when cargo positioned over antenna. Removal may affect availability of radio, satellite and connected services. 15. Wireless Charging only available with compatible phones. 16. Use of FordPass is subject to the FordPass Terms and Privacy Policy available on ford.co.nz/fordpass and requires a compatible mobile device, internet access and software (including software updates from time to time). FordPass functionality and appearance may change over time due to software updates. You are responsible for internet access, mobile network data and voice call services required for your use of the FordPass App on your mobile device, including associated fees. The FordPass App and FordPass Connect modem can only work when both are connected to the telecommunications network. The FordPass Connect modem will only function on 4G telecommunications networks. When these networks are no longer available, the modem will stop functioning and the connected services and all data transmission via the modem will cease. Ford cannot guarantee that FordPass will be in fully operating condition at all times and the FordPass App may be unavailable or particular FordPass services interrupted. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. Use Remote Vehicle Start and Stop responsibly and only in well ventilated areas where you are aware of your vehicle's surroundings. 17. BANG & OLUFSEN® 2024 and B&O 2024. BANG & OLUFSEN™ and B&O™ are registered trademarks of Bang & Olufsen Group. Licensed by Harman Becker Automotive System Manufacturing kft. All rights reserved. 18. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. 19. Eligible vehicles receive Connected Navigation Services for 1 year from the Ford Express New Vehicle Warranty start date, after which time the Connected Navigation Services may cease to be available, or may be subject to a subscription fee. To use Connected Navigation Services, users must have created a FordPass App account (terms apply), have fully activated the vehicle's FordPass Connect modem and have SYNC Location set to 'on'. 20. Maximum towing capacity braked using a Genuine Ford tow pack (standard on all Ranger Hybrid models). To comply with these limits, any load transported by the vehicle may need to be restricted to not exceed the GCM and GVM limits. 21. Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and must set the gain on the Brake Controller unit. 22. Trailer Light Check can be used via SYNC, or via FordPass app as a Connected Service. Where used via the app as a Connected Service, eligible vehicles receive 1 year of service from the Ford Express New Vehicle Warranty start date after which time, the Connected Service may cease to be available, or may be subject to a subscription fee. Users must have created a FordPass App account (terms apply) and have fully activated the vehicle's FordPass Connect modem to use this feature via the app.

Ranger Plus More



Take charge with Pro Power Onboard by powering tools at a worksite, charge electronics, run appliances while camping, or even provide backup power to a home during an outage.

Choose your colour



Frozen White



Agate Black*



Iconic Silver



Chill Grey*



Rapid Red



Cyber Orange**



Carbonised Grey

* Stormtrak only available in Agate Black and Chill Grey. ** Cyber Orange only available on Wildtrak



Service Loan Car²



Service Calculator



Ford Roadside Assistance²



Vehicle Health Report



Genuine Ford Parts



Peace Of Mind Service Inspection

Our Commitment to You

Convenience. Reliability. And no nasty surprises. That's what service should be. And that's exactly what Ford promises when you have your car serviced. Feel at ease knowing that your car is being serviced by factory trained technicians using specialised diagnostic equipment. After all, nobody knows your Ford better than we do.

Service Made Easy

When you service at Ford with our factory trained technicians, your peace of mind is our top priority. We use only Genuine Ford Parts and provide you with a vehicle health report, so you know your vehicle is being maintained the way it should. Take advantage of all the Ford Service Benefits on offer.

Intelligent Oil Life Monitoring System (IOLM). The way you drive can have a significant impact on how quickly your oil is used. IOLM is a smart system that monitors oil levels and alerts you when the oil needs changing. Discover the full range of Ford Service Benefits by visiting www.ford.co.nz/owners/service.

1. Warranty conditions and exclusions apply. 5 year/150,000 km Ford Express New Vehicle Warranty applies to demonstrator, dealership and service loaner first registered by the Authorised Ford Dealer from 1 September 2018. Warranty period commences on the date of delivery except where the vehicle is a dealership, demonstration or service loaner vehicle, in which case it commences on the date on which it was first registered by an Authorised Ford Dealer. Tyres and tyre tubes are excluded. Shock absorbers and batteries are subject to shorter warranty periods. See www.ford.co.nz/owners/warranty for further information.
2. Is available at participating Dealers. See www.ford.co.nz/owners/service for full terms and conditions. Vehicle model availability may vary. Available at participating dealers on scheduled logbook services or overnight warranty repairs. For private, business and fleet customers. Booking required. Participating Dealers may require customers to comply with general usage conditions.

This brochure was designed to provide you with a general introduction to your Ranger and was correct at time of going to print. However, Ford's policy is one of continuous product development. The right is reserved to change specifications, colours and prices of the models and items illustrated and described in this publication at any time. For the latest details always consult your Ford Dealer.

FORD MOTOR COMPANY OF NEW ZEALAND LIMITED. Private Bag 76-912, Manukau City, New Zealand.
Created July 2025, FOR4820

Discover more at ford.co.nz

