New Zealand Drives a Ranger

2025.25MY



2025.25MY Ford Ranger Summary Specifications – Please visit ford.co.nz to reserve yours now.



Drivetrains RWD Part-Time 4x4 Full-time 4x4 Bodystyles Single Chassis Cab Super Chassis Cab Double Chassis Cab Double Chassis Cab Double Chassis Cab Cab Pick-Up Double Cab Pick-Up Double Cab Pick-Up Engine Type Engine Capacity cm ³ Maximum Power Maximum Torque Transmission AdBlue® Filler Fox Position Sensitive Dampers Watts Link Rear Suspension Drive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl Drive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl	XL - S - A A A A A A A S Inline Four Cylinder Turbo 1996 154kW @ 3750rpm 500Nm @ 1750-2000rpm 10-speed Automatic - -	XLT A A - - - - A A A Inline Four Cylinder Turbo 1996 154kW @ 3750rpm	SPORT A A - - - - - S S	WILDTRAK A A 5 S	RAPTOR
RWD Part-Time 4x4 Full-time 4wD Part-Time 4wD Bodystyles Single Chassis Cab Super Chassis Cab Double Chassis Cab Double Chassis Cab Double Cab Pick-Up Double Cab Pick-Up 2.0L Bi-Turbo Availability Engine Capacity cm ³ Maximum Torque Transmission AdBlue® Filler Fox Position Sensitive Dampers Watts Link Rear Suspension Drive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl Drive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl	S - - A A A - A S Inline Four Cylinder Turbo 1996 154kW @ 3750rpm 500Nm @ 1750-2000rpm 10-speed Automatic -	A - - - A A A S Inline Four Cylinder Turbo 1996	A - - - - - S	A A - - - - -	- S - - - -
Part-Time 4x4 Full-time 4WD Bodystyles Single Chassis Cab Double Chassis Cab Double Chassis Cab Double Chassis Cab Couble Chassis Cab Double Cab Pick-Up Double Cab Pick-Up 2.0L Bi-Turbo Availability Engine Capacity cm ³ Maximum Torque Transmission AdBlue® Filler Fox Position Sensitive Dampers Watts Link Rear Suspension Drive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl Drive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl	S - - A A A - A S Inline Four Cylinder Turbo 1996 154kW @ 3750rpm 500Nm @ 1750-2000rpm 10-speed Automatic -	A - - - A A A S Inline Four Cylinder Turbo 1996	A - - - - - S	A A - - - - -	- S - - - -
Full-time 4WD Bodystyles Single Chassis Cab Super Cab Sic Cab Double Chassis Cab Double Chassis Cab Double Cab Pick-Up Double Cab Pick-Up 2.0L Bi-Turbo Availability Engine Type Engine Capacity cm ³ Maximum Power Maximum Torque Transmission AdBlue® Filler Fox Position Sensitive Dampers Watts Link Rear Suspension Drive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl Drive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl	- A A A - A S Inline Four Cylinder Turbo 1996 154kW @ 3750rpm 500Nm @ 1750-2000rpm 10-speed Automatic -	- - - A A A S Inline Four Cylinder Turbo 1996	- - - - - S	A - - - -	S - - - -
Bodystyles Single Chassis Cab Super Chassis Cab Double Chassis Cab Super Cab Pick-Up Double Cab Pick-Up 2.0L Bi-Turbo 2.0L Bi-Turbo 2.0L Bi-Turbo Availability Engine Type Engine Capacity cm ³ Maximum Power Maximum Power Maximum Torque Fransmission AdBlue® Filler Fox Position Sensitive Dampers Natts Link Rear Suspension Drive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl Drive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl	A A A - A S Inline Four Cylinder Turbo 1996 154kW @ 3750rpm 500Nm @ 1750-2000rpm 10-speed Automatic -	- - A A S Inline Four Cylinder Turbo 1996	- - - - S	- - - -	- - - -
ingle Chassis Cab iuper Chassis Cab Double Chassis Cab Double Chassis Cab Double Cab Pick-Up OL Bi-Turbo Not Position Not Position	A A - A S Inline Four Cylinder Turbo 1996 154kW @ 3750rpm 500Nm @ 1750-2000rpm 10-speed Automatic -	- A A A S Inline Four Cylinder Turbo 1996	- - - S		
iuper Chassis Cab Double Chassis Cab Double Chassis Cab Double Cab Pick-Up Double Cab Pick-Up Source	A A - A S Inline Four Cylinder Turbo 1996 154kW @ 3750rpm 500Nm @ 1750-2000rpm 10-speed Automatic -	- A A A S Inline Four Cylinder Turbo 1996	- - - S		
uper Chassis Cab bouble Chassis Cab uper Cab Pick-Up bouble Cab Pick-Up .OL Bi-Turbo vailability ngine Type ngine Capacity cm ³ daximum Power daximum Torque taximum Torque taximum Torque fansmission dBlue® Filler ox Position Sensitive Dampers Vatts Link Rear Suspension Dirive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl trive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl	A A - A S Inline Four Cylinder Turbo 1996 154kW @ 3750rpm 500Nm @ 1750-2000rpm 10-speed Automatic -	- A A S Inline Four Cylinder Turbo 1996	- - S		
vouble Chassis Cab uper Cab Pick-Up vouble Cab Pick-Up ouble Cab Pick-Up .0L Bi-Turbo vailability ngine Type ngine Capacity cm ³ faximum Power faximum Torque fansmission dBlue@ Filler ox Position Sensitive Dampers Vatts Link Rear Suspension rivie Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl vrive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl vrive Modes – Normal, Slippery, Mud/Ruts, Sand, Sport, Baja, Rock Crawl	A - A Inline Four Cylinder Turbo 1996 154kW @ 3750rpm 500Nm @ 1750-2000rpm 10-speed Automatic -	- A A S Inline Four Cylinder Turbo 1996	- - S		
iuper Cab Pick-Up Double Cab Pick-Up .OL Bi-Turbo .vailability ingine Type ingine Capacity cm ³ daximum Power daximum Torque fansmission ddBlue® Filler fax Position Sensitive Dampers Vatts Link Rear Suspension Trive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl Drive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl	- A S Inline Four Cylinder Turbo 1996 154kW @ 3750rpm 500Nm @ 1750-2000rpm 10-speed Automatic -	A A S Inline Four Cylinder Turbo 1996	- S	-	-
bouble Cab Pick-Up .0L Bi-Turbo wailability ingine Type ingine Capacity cm ³ daximum Power daximum Torque transmission ddBlue® Filler iox Position Sensitive Dampers Vatts Link Rear Suspension Drive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl Drive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl	A S Inline Four Cylinder Turbo 1996 154kW @ 3750rpm 500Nm @ 1750-2000rpm 10-speed Automatic -	A S Inline Four Cylinder Turbo 1996	S		
DL Bi-Turbo wailability Ingine Type ingine Capacity cm ³ daximum Power daximum Torque ransmission udBlue® Filler ox Position Sensitive Dampers Vatts Link Rear Suspension Drive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl Drive Modes – Normal, Sco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl Drive Modes – Normal, Slippery, Mud/Ruts, Sand, Sport, Baja, Rock Crawl	S Inline Four Cylinder Turbo 1996 154kW @ 3750rpm 500Nm @ 1750-2000rpm 10-speed Automatic -	S Inline Four Cylinder Turbo 1996		S	ç
Ivailability ingine Type ingine Capacity cm ³ daximum Torque Transmission IdBlue® Filler iox Position Sensitive Dampers Vatts Link Rear Suspension Drive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl Drive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl Drive Modes – Normal, Slippery, Mud/Ruts, Sand, Sport, Baja, Rock Crawl	Inline Four Cylinder Turbo 1996 154kW @ 3750rpm 500Nm @ 1750-2000rpm 10-speed Automatic -	Inline Four Cylinder Turbo 1996	S		د
ingine Type ingine Capacity cm ³ Aaximum Power Aaximum Torque ransmission dBlue® Filler fox Position Sensitive Dampers Vatts Link Rear Suspension Drive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl Drive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl Drive Modes – Normal, Slippery, Mud/Ruts, Sand, Sport, Baja, Rock Crawl	Inline Four Cylinder Turbo 1996 154kW @ 3750rpm 500Nm @ 1750-2000rpm 10-speed Automatic -	Inline Four Cylinder Turbo 1996	S		
ingine Capacity cm ³ Iaximum Power Iaximum Torque Iaransmission IdBlue® Filler iox Position Sensitive Dampers Vatts Link Rear Suspension Drive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand ²¹ Drive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl Drive Modes – Normal, Slippery, Mud/Ruts, Sand, Sport, Baja, Rock Crawl	1996 154kW @ 3750rpm 500Nm @ 1750-2000rpm 10-speed Automatic -	1996		Part-Time 4x4	А
Aaximum Power Aaximum Torque Tansmission KdBlue® Filler Tox Position Sensitive Dampers Vatts Link Rear Suspension Vitts Link Rear Suspension Drive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl Drive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl Drive Modes – Normal, Slippery, Mud/Ruts, Sand, Sport, Baja, Rock Crawl	154kW @ 3750rpm 500Nm @ 1750-2000rpm 10-speed Automatic -		Inline Four Cylinder Turbo	Inline Four Cylinder Turbo	Inline Four Cylinder Tu
Taximum Power Taximum Torque Tansmission dBlue® Filler ox Position Sensitive Dampers Vatts Link Rear Suspension Trive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand ²¹ Trive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl Trive Modes – Normal, Slippery, Mud/Ruts, Sand, Sport, Baja, Rock Crawl	154kW @ 3750rpm 500Nm @ 1750-2000rpm 10-speed Automatic -		1996	1996	1996
faximum Torque ransmission kdBlue® Filler iox Position Sensitive Dampers Vatts Link Rear Suspension Prive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand ²¹ Prive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl Prive Modes – Normal, Slippery, Mud/Ruts, Sand, Sport, Baja, Rock Crawl	500Nm @ 1750-2000rpm 10-speed Automatic -	is inter @ strootpin	154kW @ 3750rpm	154kW @ 3750rpm	150kW @ 3750rpm
ransmission dBlue® Filler ox Position Sensitive Dampers Vatts Link Rear Suspension rrive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand ²¹ rrive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl rrive Modes – Normal, Slippery, Mud/Ruts, Sand, Sport, Baja, Rock Crawl	10-speed Automatic	500Nm @ 1750-2000rpm	500Nm @ 1750-2000rpm	500Nm @ 1750-2000rpm	500Nm @ 1750-2000
dBlue® Filler ox Position Sensitive Dampers Vatts Link Rear Suspension Irive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand ²¹ Irive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl Irive Modes – Normal, Slippery, Mud/Ruts, Sand, Sport, Baja, Rock Crawl	-				-
ox Position Sensitive Dampers /atts Link Rear Suspension rrive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand ²¹ rrive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl rrive Modes – Normal, Slippery, Mud/Ruts, Sand, Sport, Baja, Rock Crawl ¹⁸		10-speed Automatic	10-speed Automatic	10-speed Automatic	10-speed Automati
Vatts Link Rear Suspension rrive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand ²¹ rrive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl rrive Modes – Normal, Slippery, Mud/Ruts, Sand, Sport, Baja, Rock Crawl ¹⁸	-				S
rive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand ²¹ rive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl rive Modes – Normal, Slippery, Mud/Ruts, Sand, Sport, Baja, Rock Crawl ¹⁸		-	-	-	S
rive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl rive Modes – Normal, Slippery, Mud/Ruts, Sand, Sport, Baja, Rock Crawl ¹⁸	-	-	-	-	S
rive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand, Rock Crawl rive Modes – Normal, Slippery, Mud/Ruts, Sand, Sport, Baja, Rock Crawl ¹⁸	-	А	А	S	-
rive Modes – Normal, Slippery, Mud/Ruts, Sand, Sport, Baja, Rock Crawl ¹⁸	18 _	-	-	-	-
		-	-	-	S
LOCKING HEAL AALE	S	S	A	S	S
owing Capacity – Maximum (kg) ²⁰	3500	3500	3500	3500	2500
OL V6 Turbo Diesel					
vailability	-	-	-	Full-time 4WD	-
ngine Type	-	-	-	Six Cylinder V6	-
ngine Capacity cm ³	-	-	-	2993	-
laximum Power	-	-	-	184kW @ 3250rpm	-
laximum Torque	_	-	-	600Nm @ 1750-2250rpm	-
ransmission				10-speed Automatic	
rive Modes – Normal, Eco, Tow/Haul, Slippery, Mud/Rut, Sand ²¹	-	-	-	S	-
-Locking Rear Axle	-	-	-	S	-
owing Capacity – Maximum (kg) 20	-	-	-	3500	-
.0L V6 Turbo EcoBoost 19					
vailability	-	-	=	-	А
ngine Type	_	_	_	_	Six Cylinder V6 GTD
ngine Capacity cm ³	_	_		_	2956
1aximum Power	-		-		292kW @ 5650rpn
faximum Torque	-	-	-	-	583Nm @ 3500rpr
ransmission	-	-	-	-	10-speed Automati
ual Active Exhausts – Quiet, Normal, Sport & Baja	-	-	-	-	S
rive Modes – Normal, Slippery, Mud/Ruts, Sand, Sport, Baja (includes Anti			_	_	S
ag), Rock Crawl 18	-				2
-Locking Front & Rear Axle	-	-	-	-	S
erformance Suspension w/ FOX 2.5" Live Valve Shocks	-	-	-	-	S
/atts Link Rear Suspension	_	-	-	_	S
owing Capacity – Maximum (kg) 20	-	-			2500
xterior Features					
Ianual Tailgate w/ Easy Lift Assistance 1	A	S	S	S	S
foulded In Tailgate Ruler 2	А	А	-	-	-
ailgate Clamp Pockets 1	А	S	S	S	S
ANGER Stamped In Tailgate 1	A	S	S	S	S
iside Pick Up Box Tiedown Hooks 1	A	S	S	S	S
aillamps 1	LED	LED	LED	Full LED	Full LED
older Grey Plastic Sports Hoop w/ Power Roller Shutter & Cargo Area	-	-	-	S	-
lanagement System					
ody Colour Load Rest 1	A	-	-	-	-
owbar w/ Tow Hitch 1	A	S	S	S	S
oad Box Bedliner w/ Functional Divider Locations 3	-	А	S	S	S
pad Box Edge Protectors w/ Access Caps 1	А	S	S	S	S
	A	S	S	S	S
ick-Up Box Light 1		S	S	S	S
	A				
igh Mounted Stop Light 1	A	S	S	S	-
igh Mounted Stop Light ¹ Dad Box Side Step ¹	S	S	S	S	S
igh Mounted Stop Light ¹ Dad Box Side Step ¹	3	S	S	S	-
igh Mounted Stop Light 1 bad Box Side Step 1 lack Wheel Lip Moulding	-	2	5	2	
igh Mounted Stop Light ' bad Box Side Step ' lack Wheel Lip Moulding lastic Side Steps		-	-		5
igh Mounted Stop Light ¹ oad Box Side Step ¹ lack Wheel Lip Moulding lastic Side Steps ast Aluminium Off-Road Step		-	-	-	S
igh Mounted Stop Light ¹ bad Box Side Step ¹ lack Wheel Lip Moulding lastic Side Steps ast Aluminium Off-Road Step oof Rails	- - -	-	-	- S	-
igh Mounted Stop Light ¹ bad Box Side Step ¹ ack Wheel Lip Moulding astic Side Steps ast Aluminium Off-Road Step bof Rails recision Grey Extra Large Wheel Arch Flares	- - - -	- - -	- - -	- S -	- S
igh Mounted Stop Light 1 Dad Box Side Step 1 Lack Wheel Lip Moulding Lastic Side Steps ast Aluminium Off-Road Step Dof Rails recision Grey Extra Large Wheel Arch Flares recision Grey Hood Vents	- - - - -	-	-	- S - -	- S S
igh Mounted Stop Light 1 Dad Box Side Step 1 Lack Wheel Lip Moulding Lastic Side Steps ast Aluminium Off-Road Step Dof Rails recision Grey Extra Large Wheel Arch Flares recision Grey Hood Vents	- - - -	- - -	- - -	- S -	- S
ick-Up Box Light 1 ligh Mounted Stop Light 1 oad Box Side Step 1 lack Wheel Lip Moulding lastic Side Steps ast Aluminium Off-Road Step toof Rails recision Grey Extra Large Wheel Arch Flares recision Grey Hood Vents boor Handles lirror Scalps	- - - - -	- - - -	- - - -	- S - -	- S S

	XL	XLT	SPORT	WILDTRAK	RAPTOR
Front Tow Hook	1	1	2	2	2
Headlamps	Halogen	LED	LED	Intelligent Matrix LED	Intelligent Matrix LEI
Daytime Running Lamps	S	S	S	S	S
og Lamps	-	Halogen	LED	LED	LED
nderbody Protection – Front, Engine & Transfer Case	S	Part-Time 4x4	Part-Time 4x4	S	S
.3mm Steel Bash Plate	-	-	-	-	S
afety & Driver Assistance Features 4					
Dynamic Brake Support / Electronic Stability Control / ABS Brakes	S	S	S	S	S
re-collision Assist / Autonomous Emergency Braking w/ Junction Assist / leverse Brake Assist ¹	S	S	S	S	S
orward Collision Warning / Distance Alert / Distance Indication	S	S	S	S	S
Evasive Steer Assist / Post Impact Braking / Lane Keeping Alert / Lane					
leeping Aid / Road Departure Warning	S	S	S	S	S
daptive Cruise Control	S	S	S	S	S
yre Pressure Sensors	-	S	S	S	S
arking Sensors 1	Rear	Front & Rear	Front & Rear	Front & Rear	Front & Rear
arking Camera 1	Rear	Rear	Rear	360	360
lindspot Monitoring 1	А	S	S	S	S
river Alert System	А	S	S	S	S
of Airbags, Including Far-Side Airbag	9	9	9	9	9
SOFIX 5	А	А	S	S	S
ff-Road SYNC Screen	-	-	Part-Time 4x4	S	S
ntegrated Brake Controller 7	А	S	S	S	S
eadlamp Levelling	Manual	Manual	Manual	Automatic	Automatic
60 Zone Lighting	-	-	-	S	S
ro-Trailer Back Up Assist	-	-	-	S	S
ecurity & Locking Features					
ower Door Locks / Child Proof Rear Door Locks ⁸	A	A	S	S	S
eyless Start & Entry w/ Power Tailgate Lock	-	S	S	S	S
erimeter Alarm System w/ Alarm Horn		S	S	S	S
Vheels & Tyres Specs					
WD Wheel Size & Type	_	17" Alloy	18" Alloy		-
		Bridgestone	Goodyear Wrangler		
WD Tyre Size & Type	-	255/70 R17 HT	255/65 R18 Territory HT	-	-
art-Time 4x4/4WD Wheel Size & Type	17" Steel	17" Alloy	18" Alloy	18" Alloy	17" Alloy
	Bridgestone 255/70	Bridgestone 255/70	Goodyear Wrangler 255/65	Goodyear Wrangler 255/65	BF Goodrich BFG KO
Part-Time 4x4/4WD Tyre Size & Type	R17 Dueler A/T	R17 Dueler A/T	R18 Territory HT	R18 Territory AT / S	All-Terrain 285/70 R1
WD Spare Wheel	-	17" Steel	18" Alloy	-	-
art-Time 4x4/4WD Spare Wheel	17" Steel	17" Steel	18" Alloy	18" Alloy	17" Alloy
isibility Features					
ront Wiper System	Intermittent	Rain Sensing	Rain Sensing	Rain Sensing	Rain Sensing
rivacy Glass – Rear Doors & Rear Window	-	S	S	S	S
coustic Windscreen	S	S	S	S	S
ilectric Rear Window Defroster	S	S	S	S	S
nterior Features					
ir Conditioning	Manual	Dual Zone	Dual Zone	Dual Zone	Dual Zone
nd Row Air Registers 9	-	А	S	S	S
Verhead Centre Dome Lamps	S	S	S	S	S
igital Cluster	8"	8"	8"	8″	12″
CD Centre Touchscreen	10"	10"	10"	12"	12″
nstrument Panel Pull Out Cup Holders	-	-	-	S	S
mbient Lighting	-	-	-	S	S
nternal Rear View Mirror	Day/Night	Electrochromatic	Electrochromatic	Electrochromatic	Electrochromatic
loor Trim	Vinyl	Carpet	Carpet	Carpet	Carpet
iear Shifter	Conventional Moulded	Conventional Leather	e-Shifter Leather	e-Shifter Leather	e-Shifter Leather
lectronic Park Brake	-	S	S	S	S
teering Wheel Reach & Height (Tilt) Adjust	S	s	S	S	S
addle Shifters					S
leated Driver & Passenger Seat				S	S
Driver Seat	Manual 8-way	Manual 8-way	Power 8-way	Power 8-way	Power 10-way
assenger Seat	Manual 4-way	Manual 4-way	Manual 6-way	Power 8-way	Power 8-way
eltminder Front & Rear	S	S	S	S	S
eat Trim	Fabric	Cloth	Accented Leather	Accented Leather	Accented Leather
ie Flat Front Seats / Second Row Fold Flat Rear Seats ¹⁰	A	A	S	S	S
econd Row Child Seat Upper Anchorage Points 10	A A	A	S	S	S
econd Row Under seat Storage "	AA	S	<u> </u>	S	S
udio, Communications & Instruments Features	M	3	3	3	د
teering Wheel Audio & Driver Assist Controls	S	S	S	S	S
-	<u> </u>	S	S	S	<u> </u>
mbedded Modem w/ FordPass 12					
Vireless Phone Charging Pad 13	-	-	S	S	S
ront Media Bin & Rear Console 12V Socket "	А	S	S	-	-
ront Media Bin USB	-	-	-	S	S
	-	S	S	S	S
xterior 400W Socket in Tray and Interior Rear Console					•
xterior 400W Socket in Tray and Interior Rear Console	2/4	6	6	8	8
Interior Anala Sun OSD Ixterior AQOW Socket in Tray and Interior Rear Console Itadio Speakers * I&O Audio System ¹⁷		6 -	6 -	S	8 S
xterior 400W Socket in Tray and Interior Rear Console adio Speakers 14	2/4				

Disclaimers
1 Available on Pick-Up models only. Not available on Chassis Cab Models. 2 Moulded Tailgate Ruler not available with Drop In Bedliner. 3 Drop In Bedliner not available on XLT Super Cab. 4 Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and Limitations. 5 ISOFIX only available on Double Cab models on UN tota available on Slingle and Super Cab models. ISOFIX fitted to outboard rear seats only. 6 Not atl SleetCable Drive Modes available on all models. MudRut and Sand Model. Interdet of off-road use only. 7 Drivers will need to create a profile of their trailers in SYNC to support the Trailer Brake Controller and must set the gain on the Brake Controller unit. 8 Child Proof Rear Doors only available on Double Cab models. 10 Only available on Sluper and Double Cab models. 10 Only available on Surger and Voice call services required for your use of the FordPass and requires a compatible mobile device, internet access and software (including software updates from time to time). You are responsible for any Limited son and the FordPass App can only work when connected to the telecommunications or testrictions or estrictions or

Fit it to your purpose



Choose your colour



* Meteor Grey and Aluminium (not available on Raptor). + Blue Lightning (not available on XL and Wildtrak). ‡ Code Orange (Raptor only). § Luxe Yellow (Wildtrak only). # Command Grey (Raptor V6 only).



Our Commitment to You

Convenience. Reliability. And no nasty surprises. That's what service should be. And that's exactly what Ford promises when you have your car serviced. Feel at ease knowing that your car is being serviced by factory trained technicians using specialised diagnostic equipment. After all, nobody knows your Ford better than we do.

Service Made Easy

When you service at Ford with our factory trained technicians, your peace of mind is our top priority. We use only Genuine Ford Parts and provide you with a vehicle health report, so you know your vehicle is being maintained the way it should. Take advantage of all the Ford Service Benefits on offer.

Intelligent Oil Life Monitoring System (IOLM). The way you drive can have a significant impact on how quickly your oil is used. IOLM is a smart system that monitors oil levels and alerts you when the oil needs changing. Discover the full range of Ford Service Benefits by visiting www.ford.co.nz/owners/service.

- 1. Warranty conditions and exclusions apply. 5 year/150,000 km Ford Express New Vehicle Warranty applies to demonstrator, dealership and service loaner first registered by the Authorised Ford Dealer from 1 September 2018. Warranty period commences on the date of delivery except where the vehicle is a dealership, demonstration or service loaner vehicle, in which case it commences on the date on which it was first registered by an Authorised Ford Dealer. Tyres and tyre tubes are excluded. Shock absorbers and batteries are subject to shorter warranty periods. See www.ford.co.nz/owners/warranty for further information.
- Is available at participating Dealers. See www.ford.co.nz/owners/service for full terms and conditions. Vehicle model availability may vary. Available at participating dealers on scheduled logbook services or overnight warranty repairs. For private, business and fleet customers. Booking required. Participating Dealers may require customers to comply with general usage conditions.

This brochure was designed to provide you with a general introduction to your Ranger and was correct at time of going to print. However, Ford's policy is one of continuous product development. The right is reserved to change specifications, colours and prices of the models and items illustrated and described in this publication at any time. For the latest details always consult your Ford Dealer.

FORD MOTOR COMPANY OF NEW ZEALAND LIMITED. Private Bag 76-912, Manukau City, New Zealand. Created February 2025, FOR4785



Discover more at ford.co.nz