Transit and Tourneo Custom

2025.25MY



2025.25MY Transit and Tourneo Custom Specifications For full specifications please visit ford.co.nz

320 SWB VAN DIESEL

320 LWB VAN DIESEL













320 LWB BUS DIESEL

340 LWB BUS BEV

320 LWB TOURNEO SPORT AWD BUS







	SWB VAN	LWB VAN	SWB SPORT VAN	LWB BEV VAN	LWB BUS	LWB BEV BUS	TOURNE SPORT BUS
Engine							
Maximum Power	125kW / 3,500rpm	125kW / 3,500rpm	125kW / 3,500rpm	160kW / 5,700rpm	125kW / 3,500rpm	160kW / 5,700rpm	125kW / 3,500rpn
Maximum Torque	390Nm / 1,750 – 2,500rpm	390Nm / 1,750 – 2,500rpm	390Nm / 1,750 – 2,500rpm	415Nm / 0 – 1,750rpm	390Nm / 1,750 – 2,500rpm	415Nm / 0 – 1,750rpm	390Nm / 1,750 – 2,500rpn
Transmission	2,50010111	2,50010111	2,50010111	i,/ sorpin	2,50010111	1,75010111	2,5001 þ1
8-speed Automatic							
Transmission w/ Auto Start-Stop	S	S	S	-	S	-	S
1-speed CVT	-	-	-	S	-	S	-
Driveline							
FWD	S	-	-	-	S	-	-
AWD	-	S	S	-	-	-	S
RWD	-	-	-	S	-	S	-
Selectable Drive Modes 1:	S	S	S	S	S	S	S
- Normal - Eco	S S	S	s	S S	S S	S S	S
- Sport	-	-	S	-	-	-	S
- Slippery	S	S	S	S	S	S	S
– Tow Haul	S	S	S	S	S	S	S
Powertrain Economy							
Combined Fuel Economy (L/100km) ²	7.3	7.7	7.7	-	7.3	-	7.8
CO2 Emissions (g/km) ²	190	202	202		191		205
Estimated Electric Range				438		416	
– City ² Estimated Electric Range –							
Combined ² Energy Efficiency	-	-		325	-	315	
(kWh/100km)	-	-	-	22.6	-	23.9	-
Fuel Tank Capacity (L)	55	55	55	-	55	-	55
AdBlue® Tank Capacity (L)	20	20	20	-	20	-	20
Fuel Type	Diesel	Diesel	Diesel	BEV	Diesel	BEV	Diesel
3 Phase Charge Cable	-	-	-	S	-	S	-
Vehicle Masses ³ (kg) Gross Combined Mass	5,725	5,725	5,725	5,350	5,725	5,350	5,700
Gross Vehicle Mass	3,225	3,225	3,225	3,225	3,225	3,350	3,300
Front Gross Axle Weight	1,600	1,700	1,625	1,525	1,750	1,600	1,750
Rear Gross Axle Weight	1,900	1,850	1,900	2,000	1,725	2,000	1,700
Rating Minimum Kerb Weight	1,910					2,448	
Maximum Payload (based on		2,065	2,065	2,185	2,224		2,424
Min Kerb Weight)	1,315	1,160	1,160	1,040	1,001	902	876
Tare Weight	1,827	2,140	2,065	2,131	2,137	2,390	2,424
Load Area Dimensions 4 (mm) Load Length at Center of	2//5	20/5	245	20/5			
Bulkhead	2,445	2,845	2,445	2,845			
Upper Cargo Length	2,394	2,794	2,394	2,794	-	-	_
Cargo Height at Rear Wheel Centreline	1,427	1,425	1,427	1,425	-	-	-
Side Door Entry Width	1,030	1,030	1,030	1,030	1,030	1,030	930
Side Load Door Entry Height	1,301	1,301	1,301	1,301	1,301	1,301	1,259
Rear Door/Tailgate Entry Width	1,400	1,400	1,400	1,400	1,400	1,400	1,400
Rear Door/Tailgate Entry Height	1,316	1,316	1,316	1,316	1,314	1,314	1,267
Maximum Load Space Length (up to Bulkhead)	2,602	3,002	2,602	3,002	-	-	-
Maximum Load Space Length (includes Under seat Storage)	3,050	3,450	3,050	3,450	-	-	-
Maximum Load Space Width	1,777	1,777	1,777	1,777	-	-	-
Load Space Between Wheel Arches	1,392	1,392	1,392	1,392	-	-	-
Maximum Load Floor to Roof	1,433	1,433	1,433	1,433	-	-	-
Rear Door Loading Height	531-585	531-585	531-585	531-585	531-585	531-585	531-585
Side Load Door Step Height	393-435	393-435	393-435	393-435	393-435	393-435	393-435
Side Load Door Floor Height	486-530	486-530	486-530	486-530	486-530	486-530	486-530
Load-Through Length	3,050	3,050	3,050	3,050	-		-
Load-Through Width	600	600	600	600	-	-	-
Load-Through Height	235	235	235	235	-	-	-
Maximum Load Space (w/ Bulkhead) (cu.m)	5.8	6.8	5.8	6.8	-	-	-

	SWB VAN	LWB VAN	SWB SPORT VAN	LWB BEV VAN	LWB BUS	LWB BEV BUS	LWB TOURNEO SPORT BUS
Load Space (behind Bulkhead) (SAE) (cu.m)	5.7	6.6	5.7	6.6	-	-	-
Load Space (w/ bulkhead) (VDA) (cu.m)	5.2	6.0	5.2	6.0	-	-	-
Max Cargo Length – Behind 1st Row	-	-	-	-	3,047	3,047	3,022
Upper Cargo Length – Behind 1st Row	-	-	-	-	2,776	2,776	2,786
Max Cargo Length – Behind 2nd Row	-	-	-	-	2,057	2,057	1,680-2,190
Upper Cargo Length – Behind 2nd Row	-	-	_	-	1,776	1,776	1,545-2,055
Max Cargo Length – Behind	_	_	_	_	1,132	1,132	825-1,110
3rd Row Upper Cargo Length – Behind					904	904	693-978
3rd Row Exterior Dimensions 4 (mm)					304	304	093-976
Overall Length	5,050	5,450	5,050	5,450	5,450	5,450	5,450
Width – Exterior Mirrors Extended	2,275	2,275	2,275	2,275	2,275	2,275	2,275
Width – Exterior Mirrors Folded	2,148	2,148	2,148	2,148	2,148	2,148	2,148
Width – Excluding Mirrors	2,032	2,032	2,032	2,032	2,032	2,032	2,032
Maximum Body Width	1,999	1,999	1,999	1,999	1,999	1,999	1999
Maximum Overall Height (Roof Rack Stowed /	2,005 / 2,080						
Deployed) Front Overhang	958	958	958	958	958	958	958
Rear Overhang	992	992	992	992	992	992	992
Front & Rear Track	1,730 / 1,724	1,730 / 1,724	1,730 / 1,724	1,730 / 1,724	1,730 / 1,724	1,730 / 1,724	1,730 / 1,724
Wheelbase	3,100	3,500	3,100	3,500	3,500	3,500	3,500
Ground Clearance (minimum)	140	140	140	140	140	140	140
Approach Angle (GVM) (degrees)	16.5°	17.2°	16.5°	17.2°	17.2°	17.2°	17.2°
Departure Angle (GVM) (degrees)	16.4°	16.4°	16.4°	16.4°	16.4°	16.4°	16.4°
Ramp Breakover Angle (GVM) (degrees)	13.1°	11.7°	13.1°	11.7°	11.7°	11.7°	11.7°
Turning Circle (meters)	10.9	12.1	10.9	12.1	12.1	12.1	12.1
Wheels							
16" Steel w/ Wheel Cover & Standard Tyres	S	S	-	-	S	-	
16" Steel w/ BEV Wheel Cover & Standard Tyres	-	-	-	S	-	S	-
17" Black Alloy w/ Standard Tyres	-	-	S	-	-	-	S
Spare Wheel	16" Steel	Mini	Mini	TMK	16" Steel	TMK	Mini
Interior Dimensions 4 (mm)			-				
2nd Row Logroom	-		-		1,007	1,007	937
2nd Row Legroom 2nd Row Shoulder Room (at							
Beltline)					1,696	1,696	1,696
2nd Row Hip Room 2nd Row Knee Room	-			-	1,705	1,705	1,705
2nd Row Knee Room 3rd Row Headroom				-	194 998	194	194 998
3rd Row Headroom	-				998	998	998
3rd Row Shoulder Room (at	_	_	_	_	1,612	1,612	1,612
Beltline) 3rd Row Hip Room					1,516	1,516	1,516
3rd Row Knee Room	-			-	84	84	84
Front Driver Headroom	1,016	1,016	1,016	1,016	1,016	1,016	1,016
Front Legroom	1,027	1,027	1,027	1,027	1,027	1,027	1,027
Front Shoulder Room	1,614	1,614	1,614	1,614	1,614	1,614	1,614
Exterior Lighting							
Headlamps – LED Daytime Running Lamps	S	S	S	S	S	S	s
- LED	S	S	5	S	S	5	S
Taillamps	Halogen	Halogen	LED	LED	Halogen	LED	LED
High Mounted Stop Light Exterior	S	S	S	S	S	S	S
Exterior Mirrors – Heated, Power Adjustable & Power Folding	S	S	-	S	S	S	-
Exterior Mirrors – Auto Power Mirror & Power Fold & Heated	-	-	S	-	-	-	S
Stripe – Front Bumper, Hood,	-	-	S	-	_	-	
Bodyside & Tailgate							

	SWB VAN	LWB VAN	SWB SPORT VAN	LWB BEV VAN	LWB BUS	LWB BEV BUS	LWB TOURNEO SPORT BUS	
Dual Side Load Doors	S	S	-	S	S	S	-	
Dual Hands Free Power Side Doors	-	-	S	-	-	-	S	
Full Steel Rear Tailgate	S	- S	S _	- S	-	-		
Full Steel Rear Barn Doors Rear Tailgate w/ Fixed Rear		5		5				
Window Rear Barn Doors w/ Fixed							S	
Rear Window	-	-	-	-	S	S		
Integrated Foldable Roof Racks	S	S	S	S	S	S	S	
Front & Rear Mud Flaps	S	S	-	S	S	S	-	
Front & Rear Bumpers Partial Body Colour	S	S	-	S	S	S		
Front & Rear Bumpers Full Body Colour	-	-	S	-	-	-	S	
BEV Unique Grille	-	-	-	S	-	S		
Coast to Coast Light Bar	- Disale	- Dis-si-	- Park Calaur	S	- Dis-si-	S	- Parks Calassa	
Exterior Mirrors Finish Rear Wash & Wiper	Black -	Black -	Body Colour	Black -	Black S	Black S	Body Colour S	
2nd & 3rd Row Glazing	-	-	-	-	S	S	S	
2nd Row Flip Open Windows	-	-	-	-	S	S	S	
Low Roof Line Low Roof Line w/ Rear Spoiler	- -	S -	S	- -	- -	S -	S	
Van Load Area Elements								
Full Height Load Area Protection – Hexapan	S	S	S	S	-	-	-	
Plastic Load Floor Liner	S	S	S	S	-	-	-	
LED Load Compartment Lights	S	S	S	S	-	-	-	
Audio & Communication								
Embedded Modem	S	S	S	S	S	S	S	
FordPass Connect ⁵ Colour Digital Instrument	S	S	S	S	S	S	S	
Cluster	S	S	S	S	S	S	S	
Colour Multi-Function Touch Screen Display – 13-inch	S	S	S	S	S	S	S	
Speakers	4	4	4	4	10	10	10	
Bluetooth® w/ Phone/Audio Streaming ⁶	S	S	S	S	S	S	S	
Built-In Satellite Navigation w/ one year of Connected	S	S	S	S	S	S		
Navigation Services included 7								
SYNC® 4 w/ Voice-Activated Controls ⁸	S	S	S	S	S	S	S	
Steering Wheel Audio/ Function Control	S	S	S	S	S	S	S	
Wireless Apple CarPlay™ &	S	S	S	S	S	S		
Android Auto™ 9 Safety & Security								
Airbags x 6 – Front, Side &	S	S	S	S	_	_		
Curtain Airbags x 10 – Front, Side,								
Curtain & Full Length Rear Curtain	-	-	-	-	S	-	-	
Airbags x 11 – Front, Side, Far								
Side, Curtain & Full Length Rear Curtain						S	S	
3 Point Lap Sash Seat Belt – All Positions	S	S	S	S	S	S	S	
Power Door Locks	S	S	S	S	S	S	S	
Smart Keyless Entry w/ Push Button Start	S	S	S	S	S	S	S	
Lockable Glovebox	S	S	S	S	S	S	S	
Full Steel Bulkhead	S	S	S	S	-	-		
Perimeter Alarm Thatcham Alarm	S -	S 	- S	S			S	
Interior, Seating & Door Trim								
Sensico™ Wrapped Steering Wheel	S	S	S	S	S	S	s	
Column Gear Shifter	S	S	S	S	S	S	S	
Steering Wheel Height & Tilt Adjust	S	S	S	S	S	S	S	
Electric Parking Brake	S	S	S	S	S	S	S	
Overhead Console	S	S	S	S	S	S	S	
Seating Capacity	3	3	3	3	9	8	8	
Heated Seats – Front Driver & Passenger	S	S	S	S	S	S	S	
Seat Material - Cloth	S	S	-	S	S	S		
Seat Material – Cloth/Vinyl Seat Trim in Ebony/Digital	-	-	S	-	-	-	S	
Aqua Blue Driver Seat – 6-way Manual					-			
w/ Lumbar Support	S	S	-	S	S	S		
Passenger Seat – 2-way Manual	-	-	-	-	S	S		
Driver Seat – 6-way Power w/ Lumbar Support	-	-	S	-	-		S	
Passenger Seat – 4-way							-	
Manual Seat w/ Lumbar Support	_						S	
Dual Front Passenger Seat	S	S	S	S	S	-	-	
Single Passenger Seat Drivers Seat Arm Rest	- S	- S	- S	- S		S -	S	
Passenger Seat Arm Rest	-	-	-	-	-	S	S	
2nd Row Individual Seats	-	-	-	-	-	-	S	
w/ Recline 3rd Row Single & Double							S	
Seat w/ Recline 2nd Row Fixed Seats					- S	S		
2nd Row Fixed Seats 3rd Row Tripple Wide Seat		-	-	-	S	S		
Child Seat Upper Anchorage	-	_	-	_	S	S		
Points (x 4) Child Seat ISOFIX Anchorage								
Points (x 4)	-	-	-	-	S	S .	S	
Floor Covering – Rubber Floor Covering – Carpet	S -	S 	S -	S -	S -	S -	S	
Front Row Floor Mats	-	-	-	-	-	-	S	

	SWB VAN	LWB VAN	SWB SPORT VAN	LWB BEV VAN	LWB BUS	LWB BEV BUS	LWB TOURN SPOR BUS
Comfort & Convenience							
Quickclear Heated Windscreen	S	S	S	S	S	S	S
Door Storage	S	S	S	S	S	S	S
Centre Console Cup Holder Instrument Panel Cup	S -	S	S -	S	S -	S	S
Holders	S	S	S	S	S	S	S
- 12V Power Outlet	2	2	2	2	2	2	2
- USB Ports (A & C type)	1	1	1	1	4	4	4
- Wireless Charging 10	S	S	S	S	S	S	S
Mobile Office Pack - Enhanced Cab Lighting	5	S	5	S	5	5	5
- Additional USB Connections	S	S	S	S	S	S	S
– AMPS Accessory Docking	S	S	S	S	S	S	S
Instrument Panel Storage Compartment	S	S	S	S	S	S	S
Climate Control – Dual-Zone	S	S	S	S	S	S	-
Climate Control – Tri-Zone	-	-	-	-	-	-	S
Rear Air Vent Registers Rear Air Ducting		-			- S	- S	S
LED Compartment Light	_	-	-	_	S	s	-
LED Picnic Lighting	-	-	_	-	-	-	S
Front Power Windows	S	S	S	S	S	S	S
Privacy Glass Rain Sensing Windscreen					S	S	S
Wipers	S	S	S	S	S	S	S
Rear Window Defroster Digital Rearview Mirror		-	-		S	<u>S</u>	S
w/ Integrated Dash Cam	S	S	S	S	S	S	S
Under Seat Stowage Track Based Rear Seating	S	S	S	S _	S		- S
Tiedown Loops	6	- 8	- 6	- 8	4	4	4
Overhead Console Light	S	S	S	S	S	S	S
Rear Reading Lights	-	-	_	-	S	S	S
Upfit Integration System Chassis & Suspension	S	S	S	S	S	S	S
Front & Rear Vented Discs	S	S	S	S	S	S	S
w/ Electronic Brake Booster Electric Power Assisted							
Steering	S	S	S	S	S	S	S
Rear Independent Suspension	S	S	S	S	S	S	S
Driver Assistance Features Intelligent Speed Assist	S	S	S	S	S	S	S
Auto Headlamp On-Off &	S	S	S	S	S	s	S
Auto High Beam Blind Spot Monitoring							
w/ Cross Traffic Alert	S	S	S	S	S	S	S
Driver & Passenger Exit Warning	S	S	S	S	S	S	S
Intelligent Adaptive Cruise Control w/ Stop & Go & Speed Sign Recognition 12	S	S	S	S	S	S	S
Dynamic Stability Control (DSC) incorporating ABS,							
Distribution, Emergency Brake Assist, Hill Start Assist Roll Over Mitigation &	S	S	S	S	S	S	S
Traction Control							
Evasive Steer Assist	S	S	S	S	S	S	S
Lane Keeping Aid w/ Road Edge Detection & Driver Alert	S	S	S	S	S	S	S
System 13 Post Impact Braking	S	S	S	S	S	S	S
Pre-Collision Assist							
w/ Autonomous Emergency Braking (AEB) ¹⁴	S	S	S	S	S	S	S
Reverse Brake Assist 15	S	S	S	S	S	S	S
Parking Sensors – Front & Rear	S	S	S	S	S	S	S
360° Rear View Camera	S	S	S	S	S	S	S
Tyre Pressure Monitoring System	S	S	S	S	S	S	S
Towing							
Maximum Braked Towing Capacity (kg) ¹⁶	2,500	2,500	2,500	2,000	2,500	2,000	2,400
Trailer Tow Electrics	S	S	S	S	S	S	S
- Trailer Light Check - Trailer Connection Checklist	S	S S	S	S	S	S S	S
Exterior Colours		3					
Frozen White	0	0	0	0	0	0	0
Moondust Silver	0	0	-	0	0	0	-
Agate Black Magnetic	0	0	0	0	0	0	0
Digital Aqua Blue	-	-	0	-	-	-	0
Artisan Red	-	-	0	-	-	-	0
Grey Matter	-	-	0	-	-	-	0
Ford Benefits 5 years or 150,000kms							
whichever comes first 17	S	S	S	S	S	S	S
1 Year or 20,000kms whichever comes first	S	S	S	S	S	S	S
High Voltage Warranty – 8 years or 160,00km, which ever comes first	-	-	-	S	-	S	-
Connected Satellite					-		
Navigation Free for 1 year	5	ς	5	5			
Navigation Free for 1 year from registration data. Subscription charges may apply post 1 years use Ford Roadside Assistance –	S S	S S	S S	S	S S	S S	S S

Choose your colour









Frozen White

Moondust Silver*

Agate Black

Magnetic*







Grev Matter

Digital Aqua Blue'

Artisan Red

Disclaimers

Disclaimers

1. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations. 2. Fuel/EV consumption and emissions as per WLTP3 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel/EV consumption and emissions figures will be achieved in real world driving conditions. Actual fuel/EV consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, options and accessories, condition and use.

5. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with the lightest possible combination of factory fit equipment. Tare Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with the heaviest possible combination of factory fitted optional equipment included. All payloads are calculated by deducting either the vehicle's Kerb Weight includes the vehicle with of the vehicle with a full tank of fuel, without occupants, luggage or cargo and with the heaviest possible combination of factory fitted optional equipment included. All payloads are calculated by deducting either the vehicle's Kerb Weight Monthala (when the vehicle with a full tank of fuel, without occupants, luggage or cargo and with the heaviest possible combination of factory fitted optional equipment included. All payloads are calculated by deducting either the vehicle's Kerb Weight New Java (See Manus 1998) and the vehicle with a full tank of fuel, without occupants, luggage or cargo and with the heaviest possible or makes (See Manus 1998) and the vehicle with a full tank of fuel tank o Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC models and is compatible with select smartphone platforms. 10. Wireless Charging only available with compatible phones. 11. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. 12. The iACC system will not always detect the correct speed limit in and may set a vehicle speed that is above or below the actual speed limit. If the system does this, it can be overridden by the driver applying the brake or accelerator. The Stop and Go functionality of this system operates as low as Okm/hr in traffic jam situations. Customers should read the Owner's Manual for full details of the limitations of the iACC system before activating the system. 13. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Boad Edge Detection designed for use on rural roads at speeds of 65 – 110km/h. The feature does not detect every edge and does require a level of contrast between the road surface and the edge. 14. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Pre-collision Assist with Automatic Emergency Braking detects pedestrians, but not in all conditions, and can help avoid or reduce a collision. It does not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. conditions. Please see Owner's Manual for more information. Reverse Brake Assist functions when in reverse and travelling at a speed of 2-12 km/h. 16. Maximum towing capacity-braked to comply with these limits, occupants and / or luggage may need to be restricted to not exceed the GCM and GVM limits. For further details regarding passenger and luggage restrictions, please consult your authorized Ford Dealer and / or refer to the Owner's Manual. 17. Warranty conditions apply. 5 year/unlimited km Ford Express New Vehicles Warranty applies to new, demonstrator and service loaner vehicles. For full details please visit our Warranties page at: www.ford.co.nz/owners/warranty/













Ford Benefits Our commitment to you

Convenience. Reliability. And no nasty surprises. That's what service should be. And that's exactly what Ford promises when you have your car serviced. Feel at ease knowing that your car is being serviced by factory trained technicians using specialised diagnostic equipment. After all, nobody knows your Ford better than we do

Service Made Easy

When you service at Ford with our factory trained technicians, your peace of mind is our top priority. We use only Genuine Ford Parts and provide you with a vehicle health report, so you know your vehicle is being maintained the way it should. Discover the full range of Ford Service Benefits by visiting www.ford.co.nz/owners/service

Intelligent Oil Life Monitoring System (IOLM)

The way you drive can have a significant impact on how quickly your oil is used. IOLM is a smart system that monitors oil levels and alerts you when the oil needs changing. See www.ford.co.nz/owners/intelligent-oil-life-monitoring

- Warranty conditions and exclusions apply. 5 year/150,000 km Ford Express New Vehicle Warranty applies to demonstrator, dealership and service loaner first registered by the Authorised Ford Dealer from 1 September 2018. Warranty period commences on the date of delivery except where the vehicle is a dealership, demonstration or service loaner vehicle, in which case it commences on the date on which it was first registered by an Authorised Ford Dealer. Tyres and tyre tubes are excluded. Shock absorbers and batteries are subject to shorter warranty periods. See www.ford.co.nz/owners/warranty for further information.
- 2. Is available at participating Dealers. See www.ford.co.nz/owners/service for full terms and conditions. Vehicle model availability may vary. Available at participating dealers on scheduled logbook services or overnight warranty repairs. For private, business and fleet customers. Booking required. Participating Dealers may require customers to comply with general usage conditions.

This brochure was designed to provide you with a general introduction to your Transit and Tourneo Custom and was correct at time of going to print. However, Ford's policy is one of continuous product development. The right is reserved to change specifications, colours and prices of the models and items illustrated and described in this publication at any time. For the latest details always consult your Ford Dealer.

FORD MOTOR COMPANY OF NEW ZEALAND LIMITED. Private Bag 76-912, Manukau City, New Zealand. Created May 2025, FOR4798



^{*}Only available on Sport models. #Not available on Sport models