Transit Cargo Van and Chassis Cab

2025.75MY



2025.75MY Transit Cargo Van and Chassis Cab Specifications – visit ford.co.nz for more info.







350L Van

350L Van AWD MANUAL

420L Van BEV





500E Van

500E Chassis

	TRANSIT CARGO VAN 350L	TRANSIT CARGO VAN 350L AWD	TRANSIT CARGO VAN 420L BEV	TRANSIT CARGO VAN 500E	TRANSIT CARGO CHASSIS CAB 5008
Fuel Economy & Emissions					
Fuel	Diesel	Diesel	Electric Powered	Diesel	Diesel
Fuel Tank Capacity (Litres)	70	70	-	70	70
AdBlue – 21L Tank	S	S	-	S	S
Driver Assist, Safety & Security ¹					
Airbags – Driver & Front Passenger	S	S	S	S	S
Airbags – Driver & Front Passenger Side Thorax	S	S	S	S	S
Airbags – Front Side Curtain	S	S	S	S	S
Pre Collision Assist (AEB with Pedestrian Detection) w/ Junction Assist	S	S	S	S	S
Reverse Brake Assist	S	S	S	S	-
Anti-Lock Braking System (ABS)	S	S	S	S	S
Electronic Brakeforce Distribution (EBD)	S	S	S	S	S
Emergency Brake Assist (EBA)	S	S	S	S	S
Blind Spot Monitoring System (BLIS) w/ Cross Traffic Alert & Lane Change Warning	S	S	S	S	S
Intelligent Adaptive Cruise Control w/ Adjustable Speed Limiting Device ⁹	S	-	S	-	-
Adaptive Cruise Control w/ Adjustable Speed Limiting Device	-	S	-	S	S
Curve Control	S	S	S	S	S
Electronic Stability Program (ESP)	S	S	S	S	S
Emergency Brake Light Flashing	S	S	S	S	S
Hill launch Assist	S	S	S	S	S
Side Wind Stabilisation Assist	S	S	S	S	S
Lane Departure Warning w/ Driver Alert System	S	S	S	S	S
Lane Keeping Aid	-	-	-	-	S
Lane Change Warning + Aid	S	S	S	S	_
Load Adaptive Control	S	S	S	S	S
Roll Over Mitigation	S	S	S	S	S
Roll Stability Control	S	S	S	S	S
Commercial Rating – Euro NCAP	5-Star	5-Star	5-Star	5-Star	5-Star
Beltminder™ Seatbelt System (Driver & Passenger)	S	S	S	S	S
Torque Vectoring Control	S	S	S	S	S
Traction Control System (TCS)	S	S	5	S	5
Front & Rear Parking Sensors	S	S	5	S	_
Side Parking Sensors	S	S	S	_	_
360° Camera	S	S	S	S	_
Reverse Camera Pre Wiring Prep Kit					S
Passive Anti-Theft System (PATS)	S	S	S	S	S
Keyless Start	S	S	S	S	S
Keyless Entry					S
and the same of th					

500E Chassis							
	TRANSIT CARGO VAN 350L	TRANSIT CARGO VAN 350L AWD	TRANSIT CARGO VAN 420L BEV	TRANSIT CARGO VAN 500E	TRANSIT CARGO CHASSIS CAB 500E		
Engine & Performance							
Internal Combustion – Diesel							
2.0L TDCi	S	S	_	S	S		
Auto-Start-Stop	S	S	_	S	S		
Power – Maximum	125kW	125kW	-	125kW	125kW		
Torque – Maximum	390Nm	390Nm	_	390Nm	390Nm		
Battery Electric Vehicle 12							
Power – Maximum	_	_	198kW	_	_		
Torque – Maximum	_	_	430Nm	_	_		
Estimated Drive Range (WLTP)	_	_	378km	_	_		
Rear Mounted Electric Motor	_	_	S	_	_		
115kW DC Fast Charging Capability	_	_	S	_	_		
Usable Battery Capacity	_	_	89kW	_	_		
On-Board Charger Input			22kW	_			
6m Type 2 to Type 2 Charge Cable	_	_	S	_	_		
Transmission							
10-speed Automatic	S	_	_	S	S		
I-speed CVT	_	_	S	_	_		
6-speed Manual	_	S	_	_	_		
Ride & Handling							
Brakes							
Front – Dual Circuit Discs w/ Brake Pad Wear Indicator & Self Adjusting Servo-Assistance	S	S	-	S	S		
Front – Power Anti-Lock Vented Disc	-	-	S	-	-		
Rear – Dual Circuit Discs	S	S	-	S	S		
Rear – Power Anti-Lock Solid Disc	-	-	S	-	-		
Suspension							
Front – Independent MacPherson Struts, Variable Rate Coil Springs, Stabiliser Bar & Gas Pressured Shock Absorbers	S	S	S	S	S		
Rear – Single Leaf Springs, Gas Pressurised Shock Absorbers	S	S	-	S	S		
Rear – Heavy Duty Independent Rear Suspension w/ Coil Springs, Semi-Trailing Arm & Stabilizer Bar	-	-	S	-	-		
Steering							
Power Assisted Steering	S	S	S	S	S		
Reach & Rake Steering Column	S	S	S	S	S		
Wheels & Tyres							
Wheel Size	6.5" x 16"	6.5" x 16"	6.5" x 16"	6" x 16"	6" x 16"		
Wheel Type	Steel	Steel	Steel	Steel	Steel		
Tyre Size	235/65 R16C	235/65 R16C	235/65 R16C	195/75 R16C	195/75 R16C		
Tyre Load & Speed Rating	115/113 R	115/113 R	121/119 R	107/105 R	107/105 R		
Rear Wheel Configuration	Single	Single	Single	Dual	Dual		
Spare Wheel	Steel	Steel	Steel	Steel	Steel		
Full Wheel Covers	5	5	S	-	_		

	TRANSIT CARGO VAN 350L	TRANSIT CARGO VAN 350L AWD	TRANSIT CARGO VAN 420L BEV	TRANSIT CARGO VAN 500E	TRANSIT CARGO CHASSIS CAB 5008
Exterior Features					
Roof Height					
Low Roof					S
High Roof	S	S	S	S	
Styling Front Bumper - Dartial Body Colour					
Front Bumper – Partial Body Colour	S	S	S .	S	S
Rear Bumper – Plastic Wide Bodyside Moulding – Grey	S	S	S S	S	
Mudflaps – Rear	S	S	S	S	
Roof Mounted Radio Antenna	S	S	S	S	S
Lights					
Automatic Headlamps	S	S	S	S	S
Automatic Highbeam	S	S	S	S	S
Daytime Running Lights – Halogen	S	S	S	S	S
Front Fog Lamps	5	S	S	5	S
Rear Fog Lamps	5	S	S	5	5
Headlights – Halogen	S	S	S	S	S
Headlights – Manual Levelling	S	S	S	S	S
Lights – Side Marker Lamps	-	-	-	S	S
Lights – Roof Marker Lamps		-	-	5	5
High Mounted Stop Light	S	S	S	S	_
w/ LED Downlight					
Visibility					
Mirrors – Heated, Power Adjust, Side Indicators w/ BLIS	S	S	S	S	S
Short Arm Mirrors	S	S	S	S	S
Rain Sensing Wipers	S	S	S	S	S
Tinted Glass	S	S	S	S	S
Stowage & Carrying					
Dual Side Load Doors	S	S	S	S	-
Rear Twin Hinged Doors	S	S	_	_	_
w/ 180 Degree Opening					
Rear Twin Doors w/ 270 Degree Opening	-	-	S	S	-
Front Tow Hooks	S	S	S	S	S
Interior Features					
Comfort & Convenience					
Air Conditioning – Manual Front w/	S	S	S	5	S
Recirculation Heater		<u> </u>			
Sensico® Wrapped Steering Wheel	S	S	S	5	S
Floor – Rubber Insulated Easy- Clean Partial Cover	S	S	S	S	S
Front Overhead Lighting	S	S	S	S	S
Load Compartment Lighting	S	S	S	S	
Power – 12V Auxiliary Power Point	S		S	S	_
Electric Windscreen Defroster	S	S	S	S	S
Windows – Power Front					
w/ One Touch Up & Down	5	5	S	5	5
Mechanical Park Brake	-	S	-	S	S
Electronic Park Brake	S	-	S	-	-
400W/240V Inverter	S	S	S	5	S
2kW Power Inverter	-	-	S	-	_
Front Overhead Console	S	S	S	S	S
Seats					
Front Passenger Dual Fixed w/ Under Seat Stowage Compartment	S	S	S	S	S
Seats – Heated Driver & Front					
Passenger	S	S	S	S	S
Adjustable 2-way Headrest	S	S	S	5	S
Driver 10-way Power Seat	S	S	S	S	_
Adjustment					
Driver 4-way Manual Seat Adjustment	-	-	-	-	S
Driver Lumbar Adjust	S	S	S	S	S
Drivers Armrest	5	S	S	5	S
Trim – Ebony Cloth	5	S	S	5	S
Storage					
Multiple Bottle Holders	S	S	S	5	S
Plastic Bulkhead w/ Window	S	S	S	S	-
Door Storage Pockets	S	S	S	S	-
Locking Glove Box	S	S	S	S	-
Load Area Protection Kit (inc.					
Sealed Load Floor, Full Height Rear	S	S	S	S	

	TRANSIT CARGO VAN 350L	TRANSIT CARGO VAN 350L AWD	TRANSIT CARGO VAN 420L BEV	TRANSIT CARGO VAN 500E	TRANSIT CARGO CHASSIS CAB 500
12V Auxiliary Power Point	S	-	S	S	-
Load Area Compartment Lamps	S	S	S	S	-
Audio, Communications & Instrum					
8" Semi-Digital Instrument Cluster 12" Multi-Functional Display Screen	S	S	S S	S	S
SYNC® 4 – In Vehicle			<u> </u>		
Communications System Including Bluetooth® 5.7	S	S	S	S	S
Wireless Apple Car Play & Android Auto ⁸	S	S	S	S	S
Digital Owner's Manual	S	S	S	S	S
Connected Satellite Navigation ⁶	S	S	S	S	S
Digital Rear View 'Smart Mirror'	S	S	S	S	-
FordPass Connect 4	S	S	S	S	S
Radio Speakers – 2 Woofers/ 2 Tweeters	S	S	S	S	S
Steering Wheel Mounted Audio Controls ⁷	S	S	S	S	S
2 X USB Ports	S	S	S	S	S
Digital Upfitter Module Dimensions & Weights	S	S	S	S	S
Dimensions (mm) ³					
Overall Length	5,981	5,981	5,981	6,704	6,579
Overall Width w/ Mirrors	2,474	2,474	2,474	2,474	2,746
Overall Width w/ Folded Back Mirrors	2,112	2,112	2,112	2,112	2,119
Overall Width w/o Mirrors (SRW / DRW)	2,059 / -	2,059 / –	2,059 / –	- / 2,126	- / 2,111
Overall Height*	2,766 – 2,769	2,766 – 2,769	2,773 – 2,790	2,715 – 2,778	2,182 – 2,215
Ground Clearance at Front Axle	218 – 230	218 - 230	240 - 227	226 – 245	216 - 24
Ground Clearance at Rear Axle Wheelbase	154 – 155 3,750	154 – 155 3,750	235 – 229 3,750	149 – 153 3,750	152 – 16 3,954
Front of Vehicle to Front Wheel			1.023		
Rear of Vehicle to Rear Wheel	1,023	1,023	1,023	1,023 1,931	1,023
Centre Front Track Width (SRW / DRW)	1,732 / -	1,732 / –	1,732 / –	- / 1,740	- / 1,740
Rear Track Width (SRW / DRW)	1,759 / -	1,752 / -	1,752 / -	- / 1,670	- / 1,670
Side Door Entry Width	1,300	1,300	1,300	1,300	-
Side Load Door Entry Height	1,600	1,600	1,600	1,600	-
Rear Door Entry Width	1,565	1,565	1,565	1,565	-
Rear Door Entry Height / Internal Height	1,887	1,887	1,887	1,887	-
Max. Load Space Length (at Floor w/ Bulkhead)	3,533	3,533	3,533	4,217	-
Max Load Space Width	1,784	1,784	1,784	1,784	-
Chassis Frame Length	_	-	-	-	4,149
Load Space Between Wheel Arches (SRW / DRW)	1,392 / -	1,392 / -	1,392 / -	- / 1,154	-
Load Floor to Roof Loading Height*	2,025 691 – 692	2,025 691 – 692	2,025 721 – 717	2,025 691 – 692	- 722 - 77
Max Load Volume (w/ Bulkhead) (cu.m)	12.4	12.4	12.4	15.1	-
Load Space (w/ Bulkhead (VDA) (cu.m)	11.5	11.5	11.5	14.1	-
Rear of Cab to Front Wheel Centre	_		-	-	1,407
Rear of Cab to Rear Wheel Centre	-		-		2,547
Vehicle Masses (kg) ²					
Max. Payload Gross Vehicle Mass	1,140 3,490	1,097 3,490	1,323 4,250	2,357 5,000	2,855 5,000
Kerb Mass in Running Order (Front)	1,377	1,400	1,450	1,315	1,379
Kerb Mass in Running Order (Rear)	973	993	1,477	1,328	766
Kerb Mass in Running Order (Total)	2,350	2,393	2,927	2,643	2,145
Gross Combined Mass	7,000	6,000	N/A	7,000	7,000
Front / Rear Axle Plated Mass	1,750 / 2,250	1,850 / 2,250	1,850 / 2,750	2,100 / 3,100	2,100 / 3,100
Towing Capacity – Maximum (kg) 10		2,000		7.500	7.500
Braked Transit Cargo Options	3,500	2,800	N/A	3,500	3,500
BEV 12-seat Bus Pack	Not Available	Not Available	Optional	Not Available	Not Availabl
BEV Mobility Pack	Not Available	Not Available	Optional	Not Available	Not Availabl
S = Standard					

1. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations 2. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with the heaviest possible combination of factory fitted optional equipment included. Milinium Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with the heaviest possible orderable combination of factory fitted optional equipment included. All payloads are calculated by deducting either the vehicle's Kerb Weight, Minimum Kerb Weight from Inst Gross Vehicle Mass (GVM), Payload fbased on Kerb Weight) is the maximum combined value of occupants, cargo, added accessories, added structures and two ball download (when towing). Vehicle weights are approximate and subject to individual variances. Vehicles should be eveloped before and after adding additional load, accessories or towing a trailer to ensure the maximum fores Vehicle Mass (GVM), Gross Combined Mass (GCM), and Gross Avide Weight Ratings are not exceeded. 3. Vehicle dimensions are approximate and subject to individual variances and should be confirmed before fitting any accessories or towing a trailer to ensure the maximum fores Vehicle Mass (GVM), Gross Processories on the Company of the Compa

Choose your colour



Frozen White



Race Red



Magnetic



Blue Metallic



Agate Black



Moondust Silver

















Ford Service Our commitment to you

Convenience. Reliability. And no nasty surprises. That's what service should be. And that's exactly what Ford promises when you have your car serviced. Feel at ease knowing that your car is being serviced by factory trained technicians using specialised diagnostic equipment. After all, nobody knows your Ford better than we do.

Service Made Easy

When you service at Ford with our factory trained technicians, your peace of mind is our top priority. We use only Genuine Ford Parts and provide you with a vehicle health report, so you know your vehicle is being maintained the way it should. Take advantage of all the Ford Service Benefits on offer.

Intelligent Oil Life Monitoring System (IOLM). The way you drive can have a significant impact on how quickly your oil is used. IOLM is a smart system that monitors oil levels and alerts you when the oil needs changing. Discover the full range of Ford Service Benefits by visiting www.ford.co.nz/owners/service.

- 1. Warranty conditions and exclusions apply, 5 year/150,000 km Ford Express New Vehicle Warranty applies to demonstrator, dealership and service loaner first registered by the Authorised Ford Dealer from 1 September 2018. Warranty period commences on the date of delivery except where the vehicle is a dealership, demonstration or service loaner vehicle, in which case it commences on the date on which it was first registered by an Authorised Ford Dealer. Tyres and tyre tubes are excluded. Shock absorbers and batteries are subject to shorter warranty periods. See www.ford.co.nz/owners/warranty for further information.
- 2. Is available at participating Dealers. See www.ford.co.nz/owners/service for full terms and conditions. Vehicle model availability may vary. Available at participating dealers on scheduled logbook services or overnight warranty repairs. For private, business and fleet customers. Booking required. Participating Dealers may require customers to comply with general usage conditions.

This brochure was designed to provide you with a general introduction to your Transit Cargo Van and Chassis Cab and was correct at time of going to print. However, Ford's policy is one of continuous product development. The right is reserved to change specifications, colours and prices of the models and items illustrated and described in this publication at any time. For the latest details always consult your Ford Dealer.

FORD MOTOR COMPANY OF NEW ZEALAND LIMITED. Private Bag 76-912, Manukau City, New Zealand. Created September 2025, FOR4800

