Transit Cargo Van





Transit 430 chassis Cab shown in Moondust Silver with fitted load tray.** Fitted load tray not available.






















Pre-Collision Assist with Pedestrian Detection³

Using radar and a camera, the system is designed to detect other vehicles and pedestrians and can alert you to a potential collision.



Rear camera with LED downlighter³

A high level rear-view camera with LED downlighter offers a wider aspect while reversing, and illuminates the area behind the vehicle for improved visibility in poor conditions (Van models only).



Adaptive Cruise Control3

Cruise on the motorway with ease. This system modifies your cruise control speed based on the vehicle ahead. If it senses that traffic slows and speeds up.



Blind Spot Information System³

As another vehicle – a car, ute or van - enters your blind spot whilst travelling, the system is designed to alert you with a warning light clearly displayed in the corresponding door mirror (Van models only).



Side Wind Stabilisation3


Helps the driver to stay in lane in strong, gusty conditions by using the ESC system to sense when the vehicle is being affected by crosswinds.





All new Ford Transit Vans will arrive with a built-in FordPass Connect modem, bringing a whole range of new and convenient features. Advanced features will let you control and monitor your Ford Transit from wherever you are; use your phone to locate your vehicle, lock and unlock the doors, and even start the engine remotely to heat or cool the cabin to the last known setting.




Van Load Capacity and Dimensions











Chassis Cab Load Capacity and Dimensions





Measurements Dimensions (mm)	Transit 350L Van MR RWD	Transit 350L Van HR RWD	Transit 350E Van Jumbo RWD	Transit 430E Van Jumbo RWD	Transit 430E Chassis Cab RWD
A. Overall length	5,981	5,981	6,704	6,704	6,579
B. Overall width w/ mirrors	2,474	2,474	2,474	2,474	2,474
Overall width w/ folded back mirrors	2,112	2,112	2,112	2,112	2,112
Overall width w/o mirrors (SRW / DRW)	2,059 / -	2,059 / -	2,059 / -	- / 2,126	-/2,052
C. Overall height *	2,443-2,533	2,682-2,769	2,715-2,778	2,715-2,778	2,215
D. Wheelbase	3,750	3,750	3,750	3,750	3,954
E. Front of vehicle to front wheel centre	1,023	1,023	1,023	1,023	1,023
F. Rear of vehicle to rear wheel centre	1,208	1,208	1,931	1,931	1,602
G. Side door entry width	1,300	1,300	1,300	1,300	-
H. Side load door entry height	1,600	1,600	1,600	1,600	-
Rear door/tailgate entry width	1,565	1,565	1,565	1,565	-
J. Rear door/tailgate entry height	1,648	1,887	1,887	1,887	-
K. Max. load space length (at floor w/ bulkhead)	3,494	3,494	4,217	4,217	-
L. Max load space width	1,784	1,784	1,784	1,784	-
L2. Chassis frame length	-	-	-	-	4,149
M. Load space between wheel arches (SRW / DRW)	1,392/-	1,392 / -	1,392 / -	- / 1,154	-
N. Load floor to roof	1,786	2,025	2,025	2,025	-
O. Loading height *	608-695	609-692	608-677	608-677	722-799
Max load volume (w/ bulkhead) (cu.m)	11.0	12.4	15.1	15.1	-
Load space (w/ bulkhead (VDA) (cu.m)	10.2	11.5	14.1	14.1	-
O2. Rear of cab to front wheel centre	-	-	-	-	1,407
O3. Rear of cab to rear wheel centre	-	-	-	-	2,547
Measurements	Transit 350L	Transit 350L	Transit 350E Van	Transit 430E Van	Transit 430E

Europlallet - 1,200mmx800mm

Front / Rear axle plated mass

ross payload (excl. driver

Gross vehicle mass

Gross combined mass

Max. kerb weight

Europialitet - 1,200mmx800mm

*Height dimensions show a range from min. to max. of a fully laden, lowest payload vehicle to unladen highest payload vehicle. These illustrations are for guidance only. All dimensions (shown in mm) are subject to manufacturing tolerances and do not include additional equipment. SRW - Single Rear Wheel. DRW - Dual Rear Wheel. VDA - This is the method used by the Verband der Automobilindustrie (VDA) in Germany. A VAD figure is determined by filling the load space with 'litre' blocks, each measuring 200xI00x50mm. The blocks are then counted, and the numerical result is converted into cubic meters. The actual weight will always be subject to manufacturing tolerances which may result in payload variations between this guide and actual weight. If intending to load the vehicle close to the maximum payload, we suggest a margin of 5% to Kerb Mass figure to reduce risk of overloading.

**All chassis cab variants kerb mass weights are less float/tray. Addition of float/tray will affect payload.

3,490

2,690

6,100

1,850 / 2,250

3,490

2,714

6,100

1,850 / 2,250

4,300

2,830

6,100

1,850 / 3,300

4,300

2,232

6,100

3,490

2,648

6,100

1,850 / 2,250

	Transit Cargo Van 350L	Transit Cargo Van 350E	Transit Cargo Van 430E	Transit Cargo Chassis Cab 430E
Fuel				CUD-130E
Fuel	Diesel	Diesel	Diesel	Diesel
Fuel Tank Capacity (Litres)	70	70	70	70
AdBlue - 21L Tank ^{9.}	S	S	S	S
Safety & Driver Assistance 3.				
Airbags - Driver & Front Passenger, Driver & Front Passenger Side Thorax & Side Curtain	S	S	S	S
Anti-lock Braking System (ABS), Electronic Brake- force Distribution (EBD), Emergency Brake Assist (EBA), Curve Control, Electronic Stability Program (ESP), Emergency Brake Light Flashing, Torque Vectoring Control, Traction Control System (TCS) & Hill Launch Assist	S	S	S	S
Pre-Collision Assist (AEB w/ Pedestrian Detection)	S	S	S	S
Blind Spot Monitoring System (BLIS) w/ Cross Traffic Alert	S	S	S	-
Adaptive Cruise Control w/ Adjustable Speed Limiting Device (ASLD) 11.	S	S	S	S
Lane Keeping Assist & Lane Departure Warning w/ Driver Alert	S	S	S	S
Load Adaptive Control, Roll Over Mitigation, Roll Stability Control & Side Wind Stabilisation	S	S	S	S
Safety rating - Euro NCAP	Not tested	Not tested	Not tested	Not tested
Seatbelts - Beltminder™ System (Driver Only)	S	S	S	S
Reverse Camera w/ Front & Rear Parking Sensors	S	S	S	-
Security				
Remote Central Locking (w/ two stage unlock) w/ Drive Away Locking	S	S	S	S
Immobiliser - Passive Anti-Theft System (PATS)	S	S	S	S
Perimeter Alarm	S	S	S	S
Engine				
2.0L Diesel EcoBlue	S	S	S	S
Power / Torque - Maximum	125kW / 390Nm	125kW / 390Nm	125kW / 390Nm	125kW / 390Nm
Diesel Particulate Filter	S	S	S	S
Auto-Start-Stop 4	S	S	S	S
Driveline	RWD	RWD	RWD	RWD
Transmission				
10-speed Automatic	S	S	S	S
Brakes, Suspension & Steering				
Front & Rear Dual Circuit Discs	S	S	S	S
Front - Independent MacPherson Struts / Rear - Single Leaf Springs	S	S	S	S
Power Assisted Steering	S	S	S	S
Steering Column Reach & Rake Adjustable	S	S	S	S
Wheels & Tyres				
Wheel Type / Size	Steel 6.5" x 16"	Steel 6.5" x 16"	Steel 6" x 16"	Steel 6" x 16
Tyre Size	235/65 R16C 115/113 R	235/65 R16C 115/113 R	195/75 R16C 107/105 R	195/75 R160 107/105 R
Rear Wheel Configuration	Single	Single	Dual	Dual
Spare Wheel	Full Sized Steel	Full Sized Steel	Full Sized Steel	Full Sized Steel
Roof Height				
Low Roof	-	-	-	S
Medium Roof	S	-	-	-
High Roof 5.	0	S	S	-
Styling				

	Transit Cargo Van 350L	Transit Cargo Van 350E	Transit Cargo Van 430E	Transit Cargo Chassis Cab 430E
Lights				
Automatic Headlamps w/ Manual Levelling, Automatic Highbeam & Follow-me-home w/ courtesy delay	S	S	S	S
Headlights - HID w/ LED Daytime Running Lights	S	S	S	S
Fog Lamp - Front	S	S	S	-
Fog Lamp - Rear	S	S	S	S
Lights - Roof & Side Marker Lamps	-	S	S	-
High Mounted Stop Light w/ Rear Door Edge Reflector Strip	S	S	S	S
Visibility				
Mirrors - Heated, Power Adjust w/ Side Indicators	S	S	S	S
Mirrors Extension	Short Arm	Short Arm	Short Arm	Long Arm
Wipers - Rain Sensing	S	S	S	S
Stowage & Carrying				
Doors - Kerbside Sliding	S	S	S	-
Doors - Right Side Sliding ^{5.}	0	0	0	-
Doors - Rear Glazed Twin Hinged	180° Opening	270° Opening	270° Opening	-
Comfort & Convenience	орсішів	Орстинд	орстыя	
Manual Air Conditioning	S	S	S	S
Air Pollen Purifier	S	S	S	S
Floor - Rubber Insulated Easy-Clean Partial Cover	S	S	S	s
Leather Wrapped Steering Wheel	S	S	S	S
Front Overhead Lighting	s	S	S	S
12V Auxiliary Power Point	S	S	S	S
230V (400W) Power Inverter w/ International Socket	s	S	S	s
Heated Windscreen	S	S	S	S
Windows - Power Front w/ One Touch Up & Down	S	S	S	S
Seats				
Front Passenger Dual Seats Fixed w/ Under Seat Stowage Compartment	S	S	S	S
Drivers Armrest	S	S	S	S
Heated Driver & Front Passenger Seats	S	S	S	S
Driver 10-way Power Seat Adjustment	S	S	S	-
Driver 4-way Manual Seat Adjustment	-	-	-	S
Front Passenger 2-way Manual Seat Adjustment	S	S	S	S
Driver Lumbar Support	S	S	S	S
Trim - Ebony Cloth	S	S	S	S
Storage				
Multiple Storage Pockets & Bottle Holders	S	S	S	S
Bulkhead - Glazed	S	S	S	-
Load Area Protection Kit w/ 12V Auxiliary Power Point & Load Area Compartment Lamps	S	S	S	-
Audio, Communications & Instruments				
8" Multi-Functional Display Screen	S	S	S	S
Embedded Modem w/ FordPass Connect 6.7.	S	S	S	S
SYNC® 3 - In Vehicle Communications System Including Bluetooth® 1, 8.	S	S	S	S
Apple Car Play & Android Auto ² .	S	S	S	S
Satellite Navigation	S	S	S	S
Steering Wheel Mounted Audio Controls	S	S	S	S
2 X USB Port	S	S	S	S

S = Standard - = Not Available O = Optional

1. Not all SYNC® 3 features are compatible with all phones, for full compatibility list see www.ford.co.nz/sync. 2. Apple/CarPlay/ Android Auto requires phone with compatible version of Apple ios/ Android™ (as applicable), active data service, and connection cable (sold separately). Sync ® does not control Apple CarPlay/ Android Auto ™ while in use. Apple/ Google and other third parties are responsible for their respective functionality. Message and data rates may apply. CarPlay / Android Auto Message and data rates may apply. Apple CarPlay / Apple Maps, Siri Eyes Free, 1904 and 1Phone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink ® is available on selected Sync ® models and is compatible with select smartphone platforms. 3. Driver-assistance features are supplemental and do not replace the driver's judgement. Function may not operate in some driving and road conditions or adverse weather. 4. Auto Stop/Start will not occur in all situations. 5. Regular Production options are available at additional cost. 6. Use of FordPass is subject to the FordPass Terms and Privacy Policy and the Connected Vehicle Terms and Privacy Policy available on ford.co.nz/ FordPass and requires a compatible mobile device, internet access and software (including software updates from time to time). You are responsible for internet access, mobile network data and voice call services required for your use of the FordPass App on your mobile device, including associated fees. The FordPass App can only work when connected to the telecommunications network. Ford cannot guarantee that FordPass will be in fully operating condition at all times and the FordPass App on you praviable for particular FordPass services intermed and software for the particular FordPass services. interrupted. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. FordPass App appearance as at July 2020 with minimum 105 12.0 software or later and compatible device. 7. Remote Vehicle Start and Stop on Automatic variants only. Use responsibly and only in well ventilated areas where you are aware of your vehicle's surroundings. Vehicle Locator only available when Vehicle Location setting is on. 8. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under licence. Some phones not compatible. 9. Proper functioning requires use of Diesel Exhaust Fluid (AdBlue®) which must be refilled periodically. 10. Maximum towing capacity using a Genuine Ford tow pack. To comply with these limits, occupants and/or luggage may need to be restricted. For further details regarding passenger and luggage restrictions, please consult your authorised Ford Dealer and / or refer to the Owner's Manual. 11. ACC has a minimum operating speed of 30km/h.

- 1. Warranty conditions and exclusions apply. 5 year/150,000 km Ford Express New Vehicle Warranty applies to Transit vehicles from 1 September 2018. Warranty conditions and exclusions apply. 5 year/150,000 km Ford Express. New Vehicle Warranty applies to I ransit vehicles from I September 2018.
 5 year/150,000 km Ford Express. New Vehicles Warranty applies to demonstration, dealership and service loaner Transit vehicles first registered by the Authorised Ford Dealer. From I September 2018. Warranty period commences on the date of delivery except where the vehicle is a dealership, demonstration or service loaner vehicle, in which case it commences on the date on which it was first registered by an Authorised Ford Dealer. Tyres and tyre tubes are excluded. Shock absorbers and batteries are subject to shorter warranty periods. www.ford.co.nz/owners/warranty for further information.
 Conditions apply. Further information on these warranties and services may be obtained from your Authorised Ford Dealer.
 Available annually at participating dealers with Scheduled logbook services for up to 7 years (but no later than 30 September 2024). For private, business and fleet customers. For vehicles fitted with SYNC®2 or SYNC®3 satellite navigation.
 Vehicle model availability may vary. Available at participating dealers on scheduled logbook services or overnight warranty repairs. For private, business and fleet customers. Booking required. Participating Dealers may require customers to comply with general usage conditions.

This brochure was designed to provide you with a general introduction to your Transit and was correct at time of going to print. However, Ford's policy is one of continuous product development. The right is reserved to change specifications, colours and prices of the models and items illustrated and described in this publication at any time. For the latest details always consult your Ford Dealer.
FORD MOTOR COMPANY OF NEW ZEALAND LIMITED. Private Bag 76-912, Manukau City, New Zealand.

Printed September 2021. FONZWK0138

Five Year / 150,000 kilometre Warranty

Covers your new Ford Transit vehicle against defects in factory materials or workmanship for the first 60 months.



Transit

30.000kms Service Intervals **(6)**

Normal scheduled service intervals of 30,000kms or every 12 months, whichever comes first.

Ford Roadside Assistance*

For the first 36 months (unlimited kms), Ford gives owners roadside emergency service, including free accommodation or a free rental car.



Ford Customer Assistance Centre Telephone 0800 367 369

Finance and Lease Options

Fully maintained or non-maintained operating leases remove the worry of depreciation, inflation and do not tie up your capital in an asset. Other forms of financing are also available, including flexible deposits and repayment terms. See your Ford Dealer.



