	4x2 XL Single Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Super Cab Pick-up Hi-Rider 2.2 Diesel	4x2 XL Double Cab Pick-up Hi-Rider 2.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 3.2 Diesel
Engine				
Engine Type	Inline 4 Cylinder	Inline 4 Cylinder	Inline 4 Cylinder	Inline 5 Cylinder
Engine Size (cm³)	2198	2198	2198	3198
Compression Ratio	15.7:1	15.7:1	15.7:1	15.7:1
Maximum Power	118kW @ 3200rpm	118kW @ 3200rpm	118kW @ 3200rpm	147kW @ 3000rpm
Maximum Torque	385Nm @	385Nm @	385Nm @	470Nm @
<u>'</u>	1600-2500rpm	1600-2500rpm	1600-2500rpm	1750-2500rpm
No. of Valves	16	16 86 x 94.6	16 86 x 94.6	20 89.9 x 100.76
Bore x Stroke (mm)	86 x 94.6 Turbocharged direct common rail	Turbocharged direct common rail	Turbocharged direct common rail	Turbocharged direct common ra
Fuel Management System	injection	injection	injection	injection
Fransmissions/Ratios				
5-speed automatic transmission	S	S	S	S
-uel				
Combined Fuel Economy (L/100km)(Auto) <sup>1</sup>	7.8	7.8	7.8	8.2
CO <sub>2</sub> Emissions (g/km)(Auto) <sup>1.</sup>	203	203	203	216
uel Tank Capacity (L)	80	80	80	80
uel Type	Diesel	Diesel	Diesel	Diesel
Pick-up Box Dimensions (mm)				
leight - at centreline of axle	-	511	511	511
leight - floor height to ground	-	835	835	835
ength - at floor	-	1847	1549	1549
ength - top of box	-	1783	1485	1485
Vidth - between wheelhouses	-	1139	1139	1139
Vidth - pick-up box	-	1560	1560	1560
Vidth - rear opening	-	1330	1330	1330
exterior Dimensions (mm)				
ength - with rear bumper (where fitted)	5113	5362	5362	5351
Vidth - exterior mirors extended	2163	2163	2163	2163
Vidth - exterior mirrors folded	1977	1977	1977	1977
Vidth - excluding mirrors	1860	1860	1860	1860
	1800	1804	1815	1821
Height				
Overhang - Front	908	905	905	905
Overhang - Rear	985	1234	1234	1226
Track - Front and Rear	1560	1560	1560	1560
Vheelbase	3220	3220	3220	3220
Ground Clearance (unladen, mm)	232	232	232	237
Vading Depth (mm)	800	800	800	800
Approach Angle (unladen, degrees)	28	28	28	29
Departure Angle (unladen, degrees)	28	28	27	28
neasured to:				
) rear bumper on XL Pick-up models,				
) spare tyre on XL Cab Chassis models,				
) tow bar on XLT and Wildtrak models				
Ramp Breakover Angle (degrees)	24	24	24	25
urning Circle - Kerb to Kerb (m)	12.7	11.8	11.8	11.8
nterior Dimensions (mm)				
nd Row Headroom	-	938	986	986
and Row Legroom	-	796	902	902
and Row Shoulder Room	-	1400	1430	1430
ront Headroom	1024	1024	1022	1022
Front Legroom	1058	1058	1058	1058
ront Shoulder Room	1440	1440	1440	1440
/ehicle Masses (kg)	1770	1770	1770	1770
ernicle Masses (kg) erb Weight - Total <sup>2</sup>	1717	1933	1963	2089
(erb Weight - Front Axle <sup>2</sup>	1079	1129	1153	1169
erb Weight - Rear Axle <sup>2</sup>	638	804	810	920
Payload <sup>3.</sup>	1483	1267	1237	1111
Gross Vehicle Mass	3200	3200	3200	3200
Gross Combined Mass	6000	6000	6000	6000
Maximum Braked Towing Capacity <sup>4.</sup>	3500	3500	3500	3500
Maximum Axle Load - Front	1480	1480	1480	1480
Maximum Axle Load - Rear	1850	1850	1850	1850

<sup>1.</sup> Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, condition and use. 2. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with all standard equipment. Additional weight of optional features must be taken into account when calculating kerb weight. 3. Payload is defined as the Gross Vehicle Mass minus the kerb mass. Payload is the maximum combined value of occupants, cargo, added options, added structures and tow ball download (when towing). GVM must not be exceeded. 4. Maximum braked towing capacity when fitted with a genuine Ford Tow Pack. Further weight restrictions apply, please consult your authorised Ford Dealer and/or refer to the Owner's Manual for guidance.

	4x2 XL Single Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Super Cab Pick-up Hi-Rider 2.2 Diesel	4x2 XL Double Cab Pick-up Hi-Rider 2.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 3.2 Diesel
Exterior				
Centre High Mounted Stop Light		S	S	S
Exterior Lighting - LED Daytime Running Lamps	S	S	S	S
Exterior Door / Tailgate Handles - Black		S	S	
	<u> </u>	<u>5</u>	<u>5</u>	S
Exterior Door / Tailgate Handles - Chrome				
Exterior Mirrors - Black	S	S	S	-
Exterior Mirrors - Chrome	-	<u>-</u>	-	S -
Exterior Mirrors - Power Adjustable	S	S	S	S
Exterior Mirrors - Power Folding & Heated with Turn Indicator	<del>-</del>	<del>-</del>	<u>-</u>	S
Front Bumper - Body Colour	S	S	S	S
Exterior Lighting - Front Fog Lamps (Halogen)	-	-	-	S
Grille - Black	S	S	S	-
Grille - Chrome	-	-	-	S
Exterior Lighting - High Intensity Discharge (HID) headlamps	-	-	-	S
Mud Flaps - Front and Rear <sup>5.</sup>	S	S	S	S
Privacy Glass	-	-	-	S
Rear Bumper - Body Colour		S	S	
Rear Bumper - Chrome Steel				S
	<u> </u>			
Side Steps - Black				S
Wheels - 16" Steel	S	S	S	-
Wheels - 17" Alloy	-	-	-	S
Load Box Elements Load Box Elements				
Bedliner with 12V Socket	-	-	-	S
Inner Tie Downs	-	S	S	S
Load Box Illumination	-	S	S	S
Load Rest	_	S	S	-
Tailgate Lock - Manual	_	S	S	S
Tailgate with Lift Assistance	_	S	S	S
Seating				
4-way Manual Driver Seat Adjustment (plus Lumbar Support)	S	S	S	S
Comfort and Convenience				
230V Inverter - Rear of Centre Console	-	S	S	S
Auxillary 12V Power Outlet - Lower Dashboard	S	S	S	S
Auxillary 12V Power Outlet - Rear of Centre Console	-	-	-	S
Centre Console - Single Lid with 2 Cup Holders & Coin Storage	S	S	S	S
Centre Console - Cooled	-	-	-	S
Child Seat Upper Anchorage Points (x 2)	-	S	S	S
Child Seat ISOFIX Anchorage Points (x 2)			S	S
Climate Control - Single Zone Manual	S	S	S	-
Climate Control - Dual Zone Automatic			-	S
Dual Colour 4.2" Instrumentation Screens	-	-	-	S
Floor Coverings - Vinyl	S	S	S	<u>-</u>
Floor Coverings - Carpet	-	-	-	S
Floor Mats - Driver Only	-	-	-	S
Headlamps - Auto On/Off Function	S	S	S	S
Leather Wrapped Steering Wheel & Gear Knob	-	-	-	S
Power Front Windows (Auto Driver)	S	S	S	S
Power Rear Windows	<del>-</del>		S	S
Rain Sensing Windscreen Wipers				S
Rear Window Defrost				S
Rear View Mirror - Manual Day/Night Inside	S	S	S	-
Rear View Mirror - Electrochromatic	-	<del>-</del>	<u>-</u>	S
Audio And Communication				
4.2" Colour Multi-Function Display	S	S	S	
8" Colour Touch Screen	-	-	-	S
4 Speakers (2 Tweeters, 2 Woofers)	S	-	-	-
6 Speakers (2 Tweeters, 4 Woofers)	-	S	S	S
AM/FM Stereo Radio	S	S	S	S
Apple CarPlay & Android Auto <sup>6</sup>			-	S
Bluetooth® with Phone/Audio Streaming <sup>7.</sup>	S -	S	S	S
CD Player (MP3 compatible)	S	S	S	S
Satellite Navigation	-	-	-	S
SYNC® with Voice-Activated Controls®.	S	S	S	-
SYNC®3 with Voice-Activated Controls®.	-	-	-	S
USB Port x 1	S	S	S	-
USB Ports x 2	<del>-</del>			S

5. Rear mud flaps on pick-up models only. 6. Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms 7. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. 8. Not all SYNC® and SYNC® are compatible with all phones. For compatibility, see ford.co.nz/sync.

	4x2 XL Single Cab Chassis Hi-Rider 2.2 Diesel	4x2 XL Super Cab Pick-up Hi-Rider 2.2 Diesel	4x2 XL Double Cab Pick-up Hi-Rider 2.2 Diesel	4x2 XLT Double Cab Pick-up Hi-Rider 3.2 Diesel
Safety, Security and Driver Assistance				
5-Star ANCAP Safety rating	S	S	S	S
3 Point Lap Sash Seat Belt - All Positions	S	S	S	S
Adjustable Speed Limiter	S	S	S	S
Airbags - Driver and Front Passenger	S	S	S	S
Airbags - Front Seat Side	S	S	S	S
Airbags - Side Curtain (Full Length)	S	S	S	S
Alarm with Perimeter, Interior Motion and Vehicle Inclination Sensors	-	-	-	S
Anti-Lock Braking System (ABS) <sup>9,</sup>	S	S	S	S
Beltminder™ - All Positions	S	S	S	S
Cruise Control	S	S	S	S
Dynamic Stability Control (DSC) <sup>9,</sup>	S	S	S	S
Emergency Brake Assist	S	S	S	S
Emergency Brake Light	S	S	S	S
Hill Launch Assist <sup>9.</sup>	S	S	S	S
Load Adaptive Control <sup>9.</sup>	S	S	S	S
MyKey®	-	-	-	S
Parking Sensors - Front	-	-	-	S
Parking Sensors - Rear	-	S	S	S
Rear Differential - eLocking	S	S	S	S
Rear View Camera	-	S	S	S
Remote Keyless Entry - 1 Fob Provided	S	S	S	-
Smart Keyless Entry with Push Button Start - 2 Fobs Provided	-	-	-	S
Roll Over Mitigation <sup>9.</sup>	S	S	S	S
Semi-Auto Active Park Assist <sup>9.</sup>	-	-	-	S
Traction Control System <sup>9.</sup>	S	S	S	S
Trailer Sway Control <sup>9.</sup>	S	S	S	S
Tyre Pressure Monitoring System	-	-	-	S

	4x4 XL Single Cab Chassis 3.2 Diesel	4x4 XL Super Cab Pick-up 3.2 Diesel	4x4 XL Double Cab Chassis 3.2 Diesel	4x4 XL Double Cab Pick-up 3.2 Diesel
Engine				
Engine Type	Inline 5 Cylinder	Inline 5 Cylinder	Inline 5 Cylinder	Inline 5 Cylinder
Engine Size (cm³)	3198	3198	3198	3198
Compression Ratio	15.7:1	15.7:1	15.7:1	15.7:1
Maximum Power	147kW @ 3000rpm	147kW @ 3000rpm	147kW @ 3000rpm	147kW @ 3000rpm
Maximum Torque	470Nm @	470Nm @	470Nm @	470Nm @
<u> </u>	1750-2500rpm 20	1750-2500rpm 20	1750-2500rpm 20	1750-2500rpm 20
No. of Valves  Bore x Stroke (mm)	89.9 x 100.76	89.9 x 100.76	89.9 x 100.76	89.9 x 100.76
	Turbocharged direct common rail	Turbocharged direct common rail	Turbocharged direct common rail	Turbocharged direct common rail
Fuel Management System	injection	injection	injection	injection
Transmissions/Ratios				
6-speed automatic transmission	S	S	S	S
Fuel				
Combined Fuel Economy (L/100km)(Auto) <sup>1.</sup>	8.7	8.7	8.7	8.7
CO <sub>2</sub> Emissions (g/km)(Auto) <sup>1.</sup>	229	229	229	229
Fuel Tank Capacity (L)	80	80	80	80
Fuel Type	Diesel	Diesel	Diesel	Diesel
Pick-up Box Dimensions (mm)				
Height - at centreline of axle	-	511	-	511
Height - floor height to ground	-	835	-	835
Length - at floor	-	1847	-	1549
Length - top of box	<del>-</del>	1783	-	1485
Width - between wheelhouses	-	1139	-	1139
Width - pick-up box	-	1560	-	1560
Width - rear opening	<u>-</u>	1330	<del>-</del>	1330
Exterior Dimensions (mm)				
Length - with rear bumper (where fitted)	5213	5259	5313	5359
Width - exterior mirors extended	2163	2163	2163	2163
Width - exterior mirrors folded	1977	1977	1977	1977
Width - excluding mirrors	1860	1860	1860	1860
Height	1800	1804	1815	1815
Overhang - Front	905	905	905	905
Overhang - Rear	985	1234	985	1234
Track - Front and Rear	1560	1560	1560	1560
Wheelbase	3220	3220	3220	3220
Ground Clearance (unladen, mm)	232	232	232	232
Wading Depth (mm)	800	800	800	800
Approach Angle (unladen, degrees)	28	28	28	28
Departure Angle (unladen, degrees)	28	27	28	27
measured to:				
a) rear bumper on XL Pick-up models,				
b) spare tyre on XL Cab Chassis models,				
c) tow bar on XLT and Wildtrak models				
Ramp Breakover Angle (degrees)	24	24	24	24
Turning Circle - Kerb to Kerb (m)	12.4	12.4	12.4	12.4
Interior Dimensions (mm)				
2nd Row Headroom	-	938	986	986
2nd Row Legroom	-	796	902	902
2nd Row Shoulder Room	-	1400	1430	1430
Front Headroom	1024	1024	1022	1022
Front Legroom	1058	1058	1058	1058
Front Shoulder Room	1440	1440	1440	1440
Vehicle Masses (kg)				
Kerb Weight - Total <sup>2</sup>	1880	2078	2005	2128
Kerb Weight - Front Axle <sup>2.</sup>	1207	1225	1242	1232
Kerb Weight - Rear Axle <sup>2.</sup>	673	853	763	896
Payload <sup>3.</sup>	1320	1122	1195	1072
Gross Vehicle Mass	3200	3200	3200	3200
	6000	6000	6000	6000
Gross Combined Mass	0000			
Gross Combined Mass  Maximum Braked Towing Capacity <sup>4,</sup>	3500	3500	3500	3500
			3500 1480	3500 1480

1. Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, condition and use. 2. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with all standard equipment. Additional weight of optional features must be taken into account when calculating kerb weight. 3. Payload is defined as the Gross Vehicle Mass minus the kerb mass. Payload is the maximum combined value of occupants, cargo, added options, added structures and tow ball download (when towing). GVM must not be exceeded. 4. Maximum braked towing capacity when fitted with a genuine Ford Tow Pack. Further weight restrictions apply, please consult your authorised Ford Dealer and/or refer to the Owner's Manual for guidance.

	4x4 XL Single Cab Chassis 3.2 Diesel	4x4 XL Super Cab Pick-up 3.2 Diesel	4x4 XL Double Cab Chassis 3.2 Diesel	4x4 XL Double Cab Pick-up 3.2 Diesel
Exterior				
Centre High Mounted Stop Light		S	_	S
Exterior Lighting - LED Daytime Running Lamps	S	S	S	S
Exterior Door / Tailgate Handles - Black			S	S
Exterior Mirrors - Black	S	S	S	S
Exterior Mirrors - Power Adjustable	S	S	S	S
·	S	S	S	S
Front Bumper - Body Colour  Grille - Black	s	s	s	
		s		
Mud Flaps - Front and Rear <sup>s.</sup>	S		S	S
Rear Bumper - Body Colour	-	S	-	S
Wheels - 16" Steel	S	S	S	S
Load Box Elements Load Box Elements				
Inner Tie Downs	-	S	-	S
Load Box Illumination	-	S	-	S
Load Rest	<del>-</del>	S	<del>-</del>	S
Tailgate Lock - Manual	-	S	-	S
Tailgate with Lift Assistance		S		S
Seating				
4-way Manual Driver Seat Adjustment (plus Lumbar Support)	S	S	S	S
Comfort and Convenience				
230V Inverter - Rear of Centre Console	-	S	S	S
Auxillary 12V Power Outlet - Lower Dashboard	S	S	S	S
Auxillary 12V Power Outlet - Rear of Centre Console	S	S	S	S
Centre Console - Single Lid with 2 Cup Holders & Coin Storage	S	S	S	S
Child Seat Upper Anchorage Points (x 2)		S	S	S
Child Seat ISOFIX Anchorage Points (x 2)	_		S	S
Climate Control - Single Zone Manual	S	S	S	S
	S	S	S	S
Floor Coverings - Vinyl	S	S	S	S
Headlamps - Auto On/Off Function				
Power Front Windows (Auto Driver)	S	S	S	S
Power Rear Windows	-	-	S	S
Rear Window Defrost	S	S	S	S
Rear View Mirror - Manual Day/Night Inside	S	S	S	S
Audio And Communication				
4.2" Colour Multi-Function Display	S	S	S	S
4 Speakers (2 Tweeters, 2 Woofers)	S	-	-	-
6 Speakers (2 Tweeters, 4 Woofers)	-	S	S	S
AM/FM Stereo Radio	S	S	S	S
Bluetooth® with Phone/Audio Streaming <sup>7.</sup>	S	S	S	S
CD Player (MP3 compatible)	S	S	S	S
SYNC® with Voice-Activated Controls®.	S	S	S	S
USB Port x 1	S	S	S	S
Safety, Security and Driver Assistance				
5-Star ANCAP Safety rating	S	S	S	S
3 Point Lap Sash Seat Belt - All Positions	S	S	S	S
Adjustable Speed Limiter	S	S -	S	S
Airbags - Driver and Front Passenger	S	S	S	S
Airbags - Front Seat Side	S	S	S	S
Airbags - Side Curtain (Full Length)	S	S	S	S
Anti-Lock Braking System (ABS) <sup>9.</sup>	S	S	S	S
Beltminder™ - All Positions	S	S	S	S
Cruise Control	S	S	S	S
Dynamic Stability Control (DSC) <sup>9,</sup>	S	S	S	S
Emergency Brake Assist	S	S	S	S
Emergency Brake Light	S	S	S	S
Hill Descent Control <sup>9.</sup>	S	S	S	S
Hill Launch Assist <sup>9.</sup>	S	S	S	S
Load Adaptive Control <sup>9.</sup>	S	S	S	S
The state of the s	<del>-</del>	S		S
Parking Sensors - Rear	-			
			ς	ς
Rear Differential - eLocking	- S	S	S -	S
Rear Differential - eLocking Rear View Camera	S	S S	-	S
Rear Differential - eLocking Rear View Camera Remote Keyless Entry - 1 Fob Provided	S	S S S	- S	S S
Rear Differential - eLocking Rear View Camera Remote Keyless Entry - 1 Fob Provided Roll Over Mitigation <sup>a</sup>	s s s	\$ \$ \$ \$	- S S	S S S
Parking Sensors - Rear  Rear Differential - eLocking  Rear View Camera  Remote Keyless Entry - 1 Fob Provided  Roll Over Mitigation <sup>a</sup> Traction Control System <sup>a</sup> Trailer Sway Control <sup>a</sup>	S	S S S	- S	S S

5. Rear mud flaps on pick-up models only. 6. Apple CarPlay / Android Auto requires phone with compatible version of Apple iOS / Android™ (as applicable), active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay / Android Auto while in use. Apple / Google and other third parties are responsible for their respective functionality. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC® models and is compatible with select smartphone platforms 7. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. and is under license. Some phones not compatible. 8. Not all SYNC® and SYNC® features are compatible with all phones. For compatibility, see ford.co.nz/sync. 9. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate in some driving and road conditions (including at certain speeds) or adverse weather.

	4x4 XLT Double Cab Pick-up 3.2 Diesel	4x4 Wildtrak Double Cab Pick-up 3.2 Diesel	4x4 Wildtrak Double Cab Pick-up 2.0 Diesel
Engine			
Engine Type	Inline 5 Cylinder	Inline 5 Cylinder	Inline 4 Cylinder
ngine Size (cm³)	3198	3198	1996
Compression Ratio	15.7:1	15.7:1	16:1
Maximum Power	147kW @ 3000rpm	147kW @ 3000rpm	157kW @ 3750rpm
Maximum Torque	470Nm @	470Nm @	500Nm @
·	1750-2500rpm	1750-2500rpm	1750-2000rpm
Io. of Valves	20	20	16
Bore x Stroke (mm)	89.9 x 100.76	89.9 x 100.76	84 x 90
uel Management System	Turbocharged direct common rail injection	Turbocharged direct common rail injection	Turbocharged direct common rail injection
ransmissions/Ratios			
-speed automatic transmission	S	S	<del>-</del>
O-speed automatic transmission	<del>-</del>	<del>-</del>	S
uel			
ombined Fuel Economy (L/100km)(Auto) <sup>1.</sup>	8.7	8.9	7.4
O <sub>2</sub> Emissions (g/km)(Auto) <sup>1.</sup>	229	234	195
uel Tank Capacity (L)	80	80	80
uel Type	Diesel	Diesel	Diesel
ick-up Box Dimensions (mm)			
eight - at centreline of axle	511	511	511
eight - floor height to ground	840	840	840
ength - at floor	1549	1549	1549
ength - top of box	1485	1485	1485
Vidth - between wheelhouses	1139	1139	1139
Vidth - pick-up box	1560	1560	1560
Vidth - rear opening	1330	1330	1330
xterior Dimensions (mm)			
ength - with rear bumper (where fitted)	5351	5426	5426
/idth - exterior mirors extended	2163	2163	2163
Vidth - exterior mirrors folded	1977	1977	1977
Vidth - excluding mirrors	1860	1860	1860
leight	1821	1848	1848
Overhang - Front	905	905	905
Overhang - Rear	1226	1226	1226
rack - Front and Rear	1560	1560	1560
Vheelbase	3220	3220	3220
round Clearance (unladen, mm)	237	237	237
Vading Depth (mm)	800	800	800
pproach Angle (unladen, degrees)	29	29	29
Departure Angle (unladen, degrees)	28	21	21
neasured to:			
) rear bumper on XL Pick-up models,			
) spare tyre on XL Cab Chassis models,			
) tow bar on XLT and Wildtrak models			
amp Breakover Angle (degrees)	25	21	21
urning Circle - Kerb to Kerb (m)	12.4	12.4	12.4
nterior Dimensions (mm)			
nd Row Headroom	986	986	986
nd Row Legroom	902	902	902
nd Row Shoulder Room	1430	1430	1430
ront Headroom	1022	1022	1022
ront Legroom	1058	1058	1058
ront Shoulder Room	1440	1440	1440
ehicle Masses (kg)	1777	1770	1770
erlicte wasses (kg) erb Weight - Total <sup>2</sup>	2188	2271	2239
	1250	1248	1221
erb Weight - Front Axle <sup>2</sup>			
erb Weight - Rear Axle <sup>2.</sup>	938	1023	1018
ayload <sup>3.</sup>	1012	929	961
ross Vehicle Mass	3200	3200	3200
ross Combined Mass	6000	6000	6000
Maximum Braked Towing Capacity <sup>4.</sup>	3500	3500	3500
faximum Axle Load - Front	1480	1480	1480
faximum Axle Load - Rear	1850	1850	1850

<sup>1.</sup> Fuel consumption and emissions as per ADR 81/02 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions. Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, condition and use. 2. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with all standard equipment. Additional weight of optional features must be taken into account when calculating kerb weight. 3. Payload is defined as the Gross Vehicle Mass minus the kerb mass. Payload is the maximum combined value of occupants, cargo, added options, added structures and tow ball download (when towing). GVM must not be exceeded. 4. Maximum braked towing capacity when fitted with a genuine Ford Tow Pack. Further weight restrictions apply, please consult your authorised Ford Dealer and/or refer to the Owner's Manual for guidance.

	4x4 XLT Double Cab Pick-up 3.2 Diesel	4x4 Wildtrak Double Cab Pick-up 3.2 Diesel	4x4 Wildtrak Double Cab Pick-up 2.0 Diesel
Exterior			
Centre High Mounted Stop Light	S	S	S
Exterior Lighting - LED Daytime Running Lamps	S	S	S
Exterior Door / Tailgate Handles - Chrome	S		
Exterior Door / Tailgate Handles - Monument Grey	-	S	S
Exterior Mirrors - Chrome	S		
	-		
Exterior Mirrors - Monument Grey		S	S
Exterior Mirrors - Power Adjustable	S	S	S
Exterior Mirrors - Power Folding & Heated with Turn Indicator	S	S	S
Exterior Mirrors - Puddle Lamps	<del>-</del>	S	S
Front Bumper - Body Colour	S	S	S
Front Bumper Insert - Accent Monument Grey	-	S	S
Exterior Lighting - Front Fog Lamps (Halogen)	S	-	-
Exterior Lighting - Front Fog Lamps (LED)	-	S	S
Grille - Chrome	S	-	-
Grille - Monument Grey	-	S	S
Exterior Lighting - High Intensity Discharge (HID) headlamps	S	S	S
Mud Flaps - Front and Rear <sup>s.</sup>	S	S	S
Privacy Glass	S	S	S
Rear Bumper - Chrome Steel	S		-
Rear Bumper - Monument Grey	-	S	 S
Side Steps - Black		<u>-</u>	- -
-	-		
Side Steps - Black with Silver Inserts		S	S
Rear Sports Bar - Sailplane	-	S	S
Tow Bar	-	S	S
Wheels - 17" Alloy	S	-	<del>-</del>
Wheels - 18" Black Alloy	-	S	S
Load Box Elements Load Box Elements			
Bedliner with 12V Socket	S	S	S
Inner Tie Downs	S	S	S
Load Box Illumination	S	S	S
Roller Shutter	-	S	S
Tailgate Lock - Manual	S	-	-
Tailgate Lock - Power (activated with Central Locking)	-	S	S
Tailgate with Lift Assistance	S	S	S
Seating			
4-way Manual Driver Seat Adjustment (plus Lumbar Support)	S		
	-	 S	
8-way Power Driver Seat Adjustment (plus Lumbar Support)			
Heated Front Seats	-	S	S
Wildtrak Leather Accented Seats (Black with orange stitching)	<del>-</del>	S	S
Comfort and Convenience			
230V Inverter - Rear of Centre Console	S	S	S
Ambient Lighting - Multi-Colour	-	S	S
Auxillary 12V Power Outlet - Lower Dashboard	S	S	S
Auxillary 12V Power Outlet - Rear of Centre Console	S	S	S
Centre Console - Single Lid with 2 Cup Holders & Coin Storage	S	S	S
Centre Console - Cooled	S	S	S
Child Seat Upper Anchorage Points (x 2)	S	S	S
Child Seat ISOFIX Anchorage Points (x 2)	S	S	S
Climate Control - Dual Zone Automatic	S		 S
Dual Colour 4.2" Instrumentation Screens	S		 S
Floor Coverings - Carpet	s	s	s
			-
Floor Mats - Driver Only	S	-	
Floor Mats (Wildtrak) - All Positions	<u>-</u>	S	S
Headlamps - Auto On/Off Function	S	S	S
Leather Wrapped Steering Wheel & Gear Knob	S	S	S
Power Front Windows (Auto Driver)	S	S	S
Power Rear Windows	S	S	S
Rain Sensing Windscreen Wipers	S	S	S
Rear Window Defrost	S	S	S
Rear View Mirror - Electrochromatic	S	S	S
	· · · · · · · · · · · · · · · · · · ·	-	-

	4x4 XLT Double Cab Pick-up 3.2 Diesel	4x4 Wildtrak Double Cab Pick-up 3.2 Diesel	4x4 Wildtrak Double Cab Pick-up 2.0 Diesel
Audio And Communication			
8" Colour Touch Screen	S	S	S
6 Speakers (2 Tweeters, 4 Woofers)	S	S	S
AM/FM Stereo Radio	S	S	S
Apple CarPlay & Android Auto <sup>6.</sup>	S	S	S
Bluetooth® with Phone/Audio Streaming <sup>7.</sup>	S	S	S
CD Player (MP3 compatible)	S	S	S
Satellite Navigation	S	S	S
SYNC®3 with Voice-Activated Controls®.	S	S	S
JSB Ports x 2	S	S	S
Safety, Security and Driver Assistance			
i-Star ANCAP Safety rating	S	S	S
Point Lap Sash Seat Belt - All Positions	S	S	S
Cruise Control	S	-	-
Adaptive Cruise Control with Forward Collision Alert <sup>9.</sup>	-	S	S
Adjustable Speed Limiter	S	S	S
Airbags - Driver and Front Passenger	S	S	S
Airbags - Front Seat Side	S	S	S
Airbags - Side Curtain (Full Length)	S	S	S
Alarm with Perimeter, Interior Motion and Vehicle Inclination Sensors	S	S	S
Anti-Lock Braking System (ABS) <sup>9.</sup>	S	S	S
Auto High Beam <sup>9.</sup>	-	S	S
Beltminder™ - All Positions	S	S	S
Driver Impairment Monitor <sup>9.</sup>	-	S	S
Dynamic Stability Control (DSC) <sup>9,</sup>	S	S	S
Emergency Brake Assist	S	S	S
Emergency Brake Light	S	S	S
Hill Descent Control <sup>9.</sup>	S	S	S
Hill Launch Assist <sup>9.</sup>	S	S	S
ane Keeping Aid <sup>9.</sup>	-	S	S
oad Adaptive Control <sup>9.</sup>	S	S	S
√lyKey®	S	S	S
Parking Sensors - Front	S	S	S
Parking Sensors - Rear	S	S	S
Pre-Collision Assist - AEB with Pedestrian Detection <sup>9.</sup>	-	S	S
Rear Differential - eLocking	S	S	S
Rear View Camera	S	S	S
Smart Keyless Entry with Push Button Start - 2 Fobs Provided	S	S	S
Roll Over Mitigation <sup>9.</sup>	S	S	S
Semi-Auto Active Park Assist <sup>a</sup>	S	S	S
Fraction Control System <sup>9.</sup>	S	S	S
Speed Sign Recognition <sup>9.</sup>	<del>-</del>	S	
Frailer Sway Control <sup>9.</sup>	S	S	
Fyre Pressure Monitoring System	S	S	S