



Go Further

TOUGH DONE SMARTER

Better. Smarter. And just as tough as ever. Introducing the next generation Ranger ute. With a bold new design, in-built tools to get the job done smarter, and Ford's latest smart features – Ranger gives new meaning to "intelligent design."



Wildtrak shown in Pride Orange.



BUILT TO TAKE ON YOUR WORLD

The Ranger's built to get you anywhere you need to go, with its 800mm water wading, 3,500kg towing capacity¹, turbo-charged diesel engines, and the comprehensive Electronic Stability Program.

1. Braked towing capacity available on 2WD Hi-Rider and 4WD models only, when fitted with a Genuine Ford towpack. Ranger 4WD XLT Double Cab, with accessory chrome sports bar and towpack.

NOT JUST TOUGH. PURPOSE-BUILT TOUGH.

When your ute doubles as your office, a purposeful design makes all the difference. The smarter Ranger delivers a next generation, ultra-strength chassis and functional features designed to conquer any challenge.

Clean or caked in mud, Ranger makes tough look good. It all begins with a new grille and a more aggressive, muscular front-end design.

A rock-solid under-body gives the Ranger a robust, ultra-tough foundation.

Do more. Wherever the job finds you. The Ranger's 240V power inverter¹ lets you power electrical equipment, even in the middle of nowhere.

See more at night when loading and unloading, with Ranger's cargo area light².

Auto-headlamps³ detect changes in natural light and turn on and off automatically.



¹. Only available on Super and Double Cab Models. ². Wellside models only. ³. Only available on XLT and Wildtrak models, Wildtrak shown in Pride Orange.



COMFORT ZONE

The next generation Ranger's interiors are durable, spacious, and have been crafted to reduce noise and vibration. Throw in partial leather seats¹, six airbags and a centre console with extra storage space and you get a Ranger that's more comfortable, more functional, and helps keep you safer than ever.

A dual instrument cluster displays all types of vehicle information – from performance to navigation to entertainment – on a low-glare, high-quality flat screen.

Built tough. Built safe. Six airbags – including side and curtain airbags – along with a reinforced safety cell help make every journey a safer one.

Enjoy the ride. Ranger's interior lighting system illuminates to welcome you when you enter the vehicle, and helps you see more when you exit. You can also choose between seven ambient lighting¹ colours that automatically switch on at night.

¹ Wildtrak interior shown.
Available on Wildtrak models only.



STAY CONNECTED ANYWHERE AND EVERYWHERE

Work smarter. Play harder. Our next generation SYNC®3¹ is a fully integrated, voice-activated system that lets you continue to work, whilst you drive without taking your hands off the wheel or your eyes off the road, just by saying a few simple words.

Let your fingers do the talking. View vehicle information on the new, 8-inch colour capacitive touchscreen.¹

Keep on track with Satellite Navigation¹. Listen to real-time traffic condition updates, voice-guided directions, and view detailed maps on the 8-inch touchscreen.

Connect more devices in more ways with SYNC®3's Media Hub.² Use the USB ports to access your music and photos.

Seamless integration with your smartphone through Apple CarPlay™³ Android Auto™⁴ and Applink™⁵ allows you to choose how you remain connected to your world.



SATELLITE
NAVIGATION



TALK



ENTERTAINMENT

¹. SYNC® 3 with 8 inch touchscreen and Satellite Navigation standard on XLT and Wildtrak, SYNC® standard on all other models. For SYNC® compatibility visit www.ford.co.nz/sync ². Driving while distracted can result in loss of vehicle control. Only use SYNC®, even with voice commands, when it is safe to do so. Some features may be locked out while the vehicle is in gear. Not all features are compatible with all phones. ³. Apple CarPlay™ requires phone with compatible version of Apple iOS, active data service, and connection cable (sold separately). SYNC® does not control Apple CarPlay™ while in use. Apple is solely responsible for the functionality. Message and data rates may apply. Apple CarPlay™, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the U.S. and other countries. ⁴. Android Auto requires phone with compatible version of Android Auto™ and active data service. Android Auto™ requires phone with compatible version of Android Auto™ and active data service. Android Auto™ and Google Maps™ are trademarks of Google Inc. ⁵. Ford Applink™ is available on selected SYNC® models and is compatible with selected smartphone platforms.

THE NEXT GENERATION RANGER TRUCK

Strategically placed cameras. Ultrasonic sensors. Sophisticated radar. The Ranger utilises them all to help keep you safer and in control.

Adaptive Cruise Control¹ scans the road ahead and adjusts to the flow of traffic. Simply set your cruising speed. Your Ranger slows down when traffic does, and returns to your pre-set speed when traffic clears.

Stick to the speed limit with the Adjustable Speed Limiter. Set a maximum speed and the system ensures you don't exceed it. Need to overtake a slow vehicle? Override the system by pressing the accelerator to the floor.

If your Ranger detects a possible collision, Collision Warning Alert¹ lets out a chime, flashes a heads-up display on the windscreen, and pre-loads the brakes for enhanced stopping power.

Never lose focus. Lane Departure Warning¹ alerts you by vibrating the steering wheel if you unintentionally move out of the lane. If you don't react, Lane Keeping Aid¹ applies steering torque to get you back on track.



ADAPTIVE CRUISE
CONTROL



LANE KEEPING
AID

Overseas model Ranger 4WD XLT Double Cab, with accessory chrome sports bar. 1. Only available on Wildtrak models.



Wildtrak shown in Pride Orange.



BRAINS MEET BRAWN

Packed with Ford's most ingenious technologies, the Ranger is the smartest yet.

Greater Visibility. The Ranger combines a reverse camera with front¹ and rear parking sensors, so you can park in any type of space with greater confidence.

Stop wasting fuel at idle. When you make a complete stop, Auto Start-Stop² automatically turns the engine off. Take your foot off the brake, and the engine restarts. So you only use fuel when you really need to.

Check individual pressure in each tyre with the Tyre Pressure Monitoring System¹. Not only will you be notified if any tyre's pressure is low, but the system will even tell you how low.

¹. Only available on XLT and Wildtrak models.
². Only available on 2WD Hi-Rider manual and 4WD manual models.

MAKE LIGHT WORK OF BIG CHALLENGES

The Ranger's ultra-strength chassis, torque-heavy engines, and superior suspension help you tow, haul and move with ease.

Tested in the real world. Ranger has been torture-tested to backbreaking extremes in the toughest climates and terrains.

Bigger, stronger chassis. The Ranger combines an ultra-high-strength steel chassis and a superior suspension design to deliver a stronger, smoother ride.

Tow more. Sweat less. Ranger's 3,500kg towing capacity¹ with Trailer Sway Mitigation lets you handle big loads with greater confidence.

Payload capacity up to 1,205kg². Ranger is tough enough to haul the most backbreaking of loads.



Wildtrak shown in Pride Orange with standard roller shutter removed.



Overseas model Ranger 4WD XLT model shown with accessory chrome sports bar & towpack.



Overseas model Ranger 4WD XLT model shown with accessory chrome sports bar & towpack.

1. Braked towing capacity available on 2WD Hi Rider & 4WD models only.
2. 1,205kg payload available on XL 2WD Double Cab models only.

BRING IT ON

Take on whatever the world throws at you. From river crossings to challenging off-road terrain, the Ranger is ready for anything.

800mm water wading¹ means a river can't come between you and the task at hand.

Mud, sand, and steep bumpy inclines – the Ranger conquers them all. eLocking Rear Differential¹ locks rear wheels together for maximum traction when driving on challenging surfaces or when it's difficult to keep both rear wheels on the ground at the same time.

4WD shift on the fly² lets you shift between 2WD and 4WD High mode and Low mode with the turn of a dial.

237mm ground clearance³ contributes to the Ranger's ability to go more places with greater ease.



800mm
WATER WADING



SHIFT ON THE
FLY 4X4



REAR LOCK
DIFFERENTIAL

CONTROL WHEN YOU NEED IT MOST

The Electronic Stability Program (ESP) is designed to help you avoid an accident before it occurs. The comprehensive programme aids vehicle control and includes the following features.

Roll Over Mitigation reduces the risk of getting into a roll-over situation.

Hill Launch Assist helps you pull away on steep inclines.

Hill Descent Control helps you stay in control on steep downhill grades. Available on 4x4 models only.

Trailer Sway Mitigation provides stability and greater control when towing a trailer.

Traction Control maximises traction and helps you avoid wheel spin.

Adaptive Load Control automatically adjusts ESP parameters to match the load and ensure all controls remain effective across different loads, or with no load at all.

Emergency Brake Assist maintains maximum brake pressure in an emergency stopping situation.



Wildtrak shown in Pride Orange.

BIG POWER. SMALL APPETITE.

The heart of the Ranger's superior durability and strength just got an upgrade. Ranger's diesel engines deliver more than just big power numbers – they're more fuel-efficient than ever. So you can spend more time on the move, and less time at the fuel pump.



3.2L TDCi

Ranger's 5-cylinder 3.2L TDCi diesel engine delivers the power and torque numbers you've come to expect from a Ranger, with improved fuel efficiency over the previous model.

3,500kg – Max. towing capability
147kW – Power
470Nm – Torque

EXTERIOR COLOURS

SINGLE & SUPER CAB



Shadow Black



True Red



Sparkling Gold



Aluminium Metallic



Blue Reflex



Meteor Grey



Cool White



Aurora Blue

Ranger Single & Super Cab – Accessories

Series	XL	XLT
Exterior		
Alloy wheels 17" ¹	A	S
Alloy wheels 18" ¹	A	A
Side steps stainless steel (Super Cab only)	A	A
Sports Bar (Super Cab only)	A	A
Snorkel ²	A	A
Exterior Protection		
Advantage Roll-Up Tonneau Cover	A	A
Bonnet protector (Tinted)	A	A
Steel bull bar	A	A
Nudge bar	A	A
Spare wheel lock	A	A
Weathershields	A	A
Interior Styling		
Carpet mats	-	A
All weather floor mats	-	A
Gear knob leather (Manual only)	A	S
In Car Entertainment & Electrical		
Auxiliary audio plug in cable	A	-
iPod USB integration cable ²	A	A
DVD / CD wallet	A	A
Fridge 'Day Tripper' 15L	A	A
Safety		
First aid kit	A	A
Fire extinguisher	A	A
Safety triangle	A	A
Towing & Carrying		
Towpack – 3,500Kg (2WD Hi-Rider & 4WD Hi-Rider) ³	A	A

S = Standard. A = Accessory. – = Not available.

XL model shown. Every effort has been made to depict vehicle colour as realistically as possible; however, some variation may occur.

1. Wheels and tyres sold separately. 2. iPod is a trademark of Apple Inc. 3. Towball not included.

EXTERIOR COLOURS

DOUBLE CAB



Winning Blue¹



Magnetic



Pride Orange⁴



Ingot Silver



Shadow Black



Race Red¹



Frozen White

Ranger Double Cab – Accessories

Series	XL	XLT	Wildtrak
Exterior			
Alloy wheels 17" ¹	A	S	-
Alloy wheels 18" ¹	A	A	S
Side steps stainless steel	A	A	A
Side steps powder coated	A	A	A
Sports bar	A	A	S
Snorkel ²	A	A	A
Exterior Protection			
Advantage Roll-Up Tonneau Cover	A	A	S
Bedliners	A	S	S
Bedliner rail covers	A	A	-
Bonnet protector (Tinted)	A	A	A
Steel bull bar	A	A	A
Nudge bar	A	A	A
Spare wheel lock	A	A	A
Weathershields	A	A	A
Interior Stylings			
Carpet mats	-	A	S
All weather floor mats	-	A	A
Gear knob leather (Manual only)	A	S	-
In Car Entertainment & Electrical			
Auxiliary audio plug in cable	A	-	-
iPod USB integration cable ²	A	A	A
DVD / CD wallet	A	A	A
Fridge 'Day Tripper' 15L	A	A	A
Safety			
First aid kit	A	A	A
Fire extinguisher	A	A	A
Safety triangle	A	A	A
Towing & Carrying			
Towpack – 3,500Kg (2WD Hi-Rider & 4WD Hi-Rider) ³	A	A	S

S = Standard. A = Accessory. – = Not available.

XLT model shown. Every effort has been made to depict vehicle colour as realistically as possible; however, some variation may occur.
1. Not available on Wildtrak models.

1. Wheels and tyres sold separately. 2. iPod is a trademark of Apple Inc. 3. Towball not included. 4. Colour only available on Wildtrak.

RANGER 2WD SPECIFICATIONS

Body Style	XL 2WD Single Cab Chassis Low ride (Special Order Only)
Fuel Economy & Emissions	
Fuel Economy	
Combined fuel economy (L/100km) ¹	6.5
Urban fuel economy (L/100km) ¹	7.6
Extra-urban fuel economy (L/100km)	5.8
Fuel	
Fuel	Diesel
Fuel tank capacity (L)	80L
Emissions Data	
CO ₂ emissions (g/km) ¹	169
Euro Stage V emission level	S
Safety	
5-Star Euro NCAP & ANCAP Safety Rating	S
Airbags – Driver & front passenger	S
Airbags – Side curtain front	S
Airbags – Side curtain front & rear	-
Airbags – Side thorax front	S
Adaptive Cruise Control	-
Adjustable Speed Limiting Device (ASLD)	S
Brakes – Anti-lock Braking System (ABS)	S
Brakes – Electronic Brakeforce Distribution (EBD)	S
Brakes – Emergency (Hazard warning) indicator lights	S
Brakes – Emergency Brake Assist (EBA)	S
Cruise control	S
Collision Mitigation	-
Distance Indication / Distance Alert	-
Driver Alert	-
Electronic Stability Program (ESP) with Roll Over Mitigation	S
Front Parking Sensors	-
Forward Alert	-
Grade control logic	-
Hill Descent Control	-
Hill Launch Assist	S
ISOFIX (Lower anchorages)	-
Lane Depature Warning	-
Lane Keeping Aid	-
Load adaptive control	S
Rear child seat anchorage points (Top tether)	-
Rear parking sensors	-
Reversing camera	-
Seatbelts – Beltminder™ system (Driver & front passenger)	S
Seatbelts – Beltminder™ system (Rear seats)	-
Seatbelts – 3 point	S
Seatbelts – Pre-tensioners front	S
Trailer sway mitigation	S
Security	
Immobiliser – Passive Anti-theft System (PATS)	S
Locking – Fuel cap	S
Locking – Childproof rear	-
Locking – Remote central	S
Locking – Tailgate	-
MyKey®	-
Remote keyless entry with 2 stage unlocking & flip key	S
Volumetric Alarm System	S

XL 2WD Super Cab Wellside High ride	XLT 2WD Super Cab Wellside Automatic High ride	XL 2WD Double Cab Wellside (Automatic) High ride	XLT 2WD Double Cab Wellside (Automatic) High ride
8.1	8.2	8.1 (8.2)	8.1 (8.2)
10.2	10.9	10.2 (10.9)	10.2 (10.9)
7.0	6.7	7.0 (6.7)	7.0 (6.7)
Diesel	Diesel	Diesel	Diesel
80L	80L	80L	80L
215	216	215 (216)	215 (216)
S	S	S	S
S	S	S	S
S	S	S	S
-	-	-	-
S	S	S	S
S	S	S	S
-	-	-	-
S	S	S	S
S	S	S	S
S	S	S	S
S	S	S	S
S	S	S	S
-	-	-	-
-	-	-	-
-	-	-	-
S	S	S	S
-	S	-	S
-	-	-	-
-	-	-	-
-	-	-	-
S	S	S	S
S	S	S	S
S	S	S	S
S	S	S	S
S	S	S	S
S	S	S	S
S	S	S	S
S	S	S	S
-	-	-	-
-	-	S	S
S	S	S	S
S	S	S	S
-	S	-	S
S	S	S	S
S	S	S	S

RANGER 2WD SPECIFICATIONS (Continued)

Body Style	XL 2WD Single Cab Chassis Low ride (Special Order Only)
Engines & Performance	
Engines	
Duratorq 2.2L Turbo Diesel Common-rail Injection (TDCi)	S
Duratorq 3.2L Turbo Diesel Common-rail Injection (TDCi)	-
Alternator	110 AMP
Battery	12V 80 AMP
Bore x stroke (mm)	86 x 94.6
Compression ratio	15.7:1
Displacement (cc)	2,198
Power – Maximum	118kW @ 3,200rpm
Torque – Maximum	385Nm @ 1,600-2,500rpm
Valves	16
Transmission	
6-speed manual	S
6-speed automatic	-
Transmission Ratios	
1st	5.701
2nd	2.850
3rd	1.645
4th	1.183
5th	1
6th	0.814
Final drive	3.150
Reverse	4.935
Towing Capacity – Maximum (kg) ²	
Braked	2,500
Unbraked	750
Mechanical	
Auto Start / Stop	-
Battery Management System (BMS)	S
Electronic shift on the fly	-
eLocking rear differential	-
Engine Cover under hood	-
Tyre Pressure Monitoring System (TPMS)	-
Ride & Handling	
Brakes (mm)	
Front – Ventilated disc brakes with twin piston calipers	302 x 32
Rear – Drum	270 x 55
Suspension	
Front – Fully independent double wishbone, coil-over-strut design	S
Rear – Rear leaf design	S
Steering	
Electronic Power-Assisted Steering (EPAS)	S
Steering column – Tilt adjust	S
Turning circle – Kerb to kerb (m)	11.8
Turns to lock	3.5
Exterior Features	
Wheels & Tyres	
Wheel size	16" X 6.5"
Wheel type	Steel
Tyre size	215/70 R16
Spare wheel	16" Steel

XL 2WD Super Cab Wellside High ride	XLT 2WD Super Cab Wellside (Automatic) High ride	XL 2WD Double Cab Wellside (Automatic) High ride	XLT 2WD Double Cab Wellside (Automatic) High ride
-	-	-	-
S	S	S	S
110 AMP	110 AMP	110 AMP	110 AMP
12V 80 AMP	12V 68 AMP	12V 80 AMP (12V 68 AMP)	12V 80 AMP (12V 68 AMP)
89.9 x 100.76	89.9 x 100.76	89.9 x 100.76	89.9 x 100.76
15.7:1	15.7:1	15.7:1	15.7:1
3,198	3,198	3,198	3,198
147kW @ 3,000rpm	147kW @ 3,000rpm	147kW @ 3,000rpm	147kW @ 3,000rpm
470Nm @ 1,500-2,750rpm	470Nm @ 1,500-2,750rpm	470Nm @ 1,500-2,750rpm	470Nm @ 1,500-2,750rpm
20	20	20	20
S	-	S	S
-	S	S	S
5.441	4.171	5.441 (4.171)	5.441 (4.171)
2.839	2.342	2.839 (2.342)	2.839 (2.342)
1.721	1.521	1.721 (1.521)	1.721 (1.521)
1.223	1.143	1.223 (1.143)	1.223 (1.143)
1	0.867	1 (0.867)	1 (0.867)
0.794	0.691	0.794 (0.691)	0.794 (0.691)
3.55	3.73	3.55 (3.73)	3.55 (3.73)
4.935	3.4	4.935 (3.4)	4.935 (3.4)
3,500	3,500	3,500	3,500
750	750	750	750
S	-	S (-)	S (-)
S	S	S	S
-	-	-	-
S	S	S	S
-	S	-	S
-	S	-	S
302 x 32	302 x 32	302 x 32	302 x 32
295 x 55	295 x 55	295 x 55	295 x 55
S	S	S	S
S	S	S	S
S	S	S	S
S	S	S	S
11.8	11.8	11.8	11.8
3.5	3.5	3.5	3.5
16" X 7.0"	17" X 8"	16" X 7.0"	17" X 8"
Steel	Alloy	Steel	Alloy
255/70 R16	265/65 R17	255/70 R16	265/65 R17
16" Steel	17" x 7.5" Steel	16" Steel	17" x 7.5" Steel

RANGER 2WD SPECIFICATIONS (Continued)

Body Style	XL 2WD Single Cab Chassis Low ride (Special Order Only)
Styling	
12V socket in bedliner	-
Bedliner	-
Inner tie downs – 6	-
Load rest – Integrated into wellside	-
Mudflaps – Front	S
Mudflaps – Rear	-
Outer tie hooks	-
Privacy glass – Rear passengers & back windows	-
Roller shutter	-
Roof rails	-
Side steps with moulded inserts (Bright inserts)	-
Side steps with moulded inserts (Brushed inserts)	-
Hoop sports bar (Plastic)	-
Wellside – Side rails	-
Lights	
Auto on/off headlamps	-
Brakes – Rear high mounted stop light	-
Cargo area light	-
Daytime running lights	S
Fog lights – Front	-
Manual headlamp levelling	S
Projector headlights	-
Reflector headlamps	S
Visibility	
Mirrors – Power adjust, power fold, heated & with side indicators	-
Mirrors – Power adjust, power fold with side indicators, puddle lamps & heated	-
Mirrors – Power adjust with manual foldback	S
Rear demister	S
Wipers – Rain sensing	-
Wipers – Variable intermittent front	S
Body General	
Engine underbody protection	-
Fuel tank guard	-
Transfer case underbody protection	-
Stowage & Carrying	
Front towing eye	S
Roof rails	-
Towbar – Heavy duty	-
Interior Features	
Comfort & Convenience	
240V inverter	-
A-Pillar assist handles	S
Air conditioning – Dual Zone Climate Control (EATC)	-
Air conditioning – Manual	S
Armrest – 2nd row centre armrest with cupholder	-
Centre console with cooler box	-
Cruise control – Steering wheel mounted controls	S
Driver side roof mounted grab handle	S

XL 2WD Super Cab Wellside High ride	XLT 2WD Super Cab Wellside High ride	XL 2WD Double Cab Wellside (Automatic) High ride	XLT 2WD Double Cab Wellside (Automatic) High ride
-	S	-	S
-	S	-	S
S	S	S	S
S	-	S	-
S	S	S	S
S	S	S	S
S	-	S	-
-	S	-	S
-	-	-	-
-	-	-	-
-	S	-	S
-	-	-	-
-	-	-	-
-	-	-	-
-	S	-	S
S	S	S	S
S	S	S	S
S	S	S	S
-	S	-	S
S	-	S	-
-	S	-	S
-	-	-	-
S	-	S	-
S	S	S	S
-	S	-	S
-	S	-	S
-	-	-	-
S	S	S	S
S	S	S	S
-	S	-	S
S	-	S	-
-	-	S	S
-	S	-	S
S	S	S	S
S	S	S	S

RANGER 2WD SPECIFICATIONS (Continued)

Body Style	XL 2WD Single Cab Chassis Low ride (Special Order Only)
Lighting – Ambient (Multicoloured)	-
Overhead console with map lights & sunglass holder	S
Rear view mirror – Electro-chromatic	-
Sunvisors with ticket holder & illuminated vanity mirror (Driver & passenger)	-
Sunvisors with ticket holder (Driver) & vanity mirror (Passenger)	S
Windows – Power front, one touch & anti pinch	S
Windows – Power rear	-
Seats & Seatbelts	
Front seats – Heated	-
Head restraints – Front & rear height adjustable	S
Seat adjust – Manual 4-way driver	S
Seat adjust – Power 8-way driver	-
Seatbelts – Front only 3-point	S
Seatbelts – Front & rear 3-point	-
Seats – Front bucket	S
Seats – Driver lumbar adjust	S
Seats – Driver's map pocket	-
Seats – Passenger map pocket	S
Trim – Caliber fabric	-
Trim – Circuit fabric	S
Trim – Penta fabric	-
Styling	
Floor – Carpet	-
Floor – Vinyl covering	S
Gear shift – Leather	-
Mats – Carpet front	-
Mats – Carpet front driver	-
Mats – Carpet rear	-
Steering wheel – Leather wrapped	-
Steering wheel – Leather wrapped with contrast stitching	-
Audio, Communications & Instruments	
4" Multi-functional display screen	S
8" Colour touch screen	-
Audio – 3.5mm auxiliary input	S
Audio – 4 speakers (Front)	S
Audio – 6 speakers	-
Audio – Dual radio tuner	S
Audio – MP3 compatibility	S
Audio – Single CD player	S
Audio – Steering wheel switches with voice control	S
Audio – USB & iPod integration ³	S
Apple Carplay™ & Android Auto™ Integration ⁴	-
Bluetooth® mobile phone integration with voice control ⁵	S
Satellite navigation system	-
SD Card Slot	-
SYNC® in vehicle communication system	S
SYNC® 3 infotainment system with Applink™	-
Trip computer	S
Warnings	
External temperature display	-
Frost warning	-
Washer fluid warning	S

	XL 2WD Super Cab Wellside High ride	XLT 2WD Super Cab Wellside High ride	XL 2WD Double Cab Wellside (Automatic) High ride	XLT 2WD Double Cab Wellside (Automatic) High ride
	-	-	-	-
	S	S	S	S
	-	S	-	S
	-	-	-	S
	S	S	S	-
	S	S	S	S
	-	-	S	S
	-	-	-	-
	S	S	S	S
	S	S	S	S
	-	-	-	-
	-	-	-	-
	S	S	S	S
	S	S	S	S
	S	S	S	S
	-	S	-	S
	S	S	S	S
	-	-	-	-
	S	-	S	-
	-	S	-	S
	-	S	-	S
	S	-	S	-
	-	S	-	S
	-	-	-	-
	-	S	-	S
	-	-	-	-
	S	-	S	-
	-	S	-	S
	S	-	S	-
	-	-	-	-
	S	S	S	S
	S	S	S	S
	S	S	S	S
	S	S	S	S
	S	S	S	S
	S	S	S	S
	S	S	S	S
	S	S	S	S
	-	S	-	S
	S	S	S	S
	-	S	-	S
	-	S	-	S
	S	-	S	-
	-	S	-	S
	S	S	S	S
	-	S	-	S
	-	S	-	S
	S	S	S	S

RANGER 2WD SPECIFICATIONS (Continued)

Body Style	XL 2WD Single Cab Chassis Low ride (Special Order Only)
Dimensions & Weights	
Cargo Dimensions (mm)	
Wellside – Depth floor to top (Side height)	-
Wellside – Floor level load length	-
Wellside – Loading height	-
Wellside – Maximum width	-
Wellside – Tailgate opening width	-
Wellside – Width between wheel arches	-
Wellside – Loading height	-
Exterior Dimensions (degrees)	
Approach angle – Unladen	22
Departure angle ⁶	24
Ramp breakover angle ⁶	17
Exterior Dimensions (mm)	
Length – Overall	5,213
Width – Overall (Excluding exterior rear view mirrors)	1,860
Overhang – Front	905
Overhang – Rear	985
Track – Front / Rear	1,590
Wading depth ⁷	600
Wheelbase	3,220
Ground clearance – Unladen	135
Height – Overall	1,703
Interior Dimensions (mm)	
Front – Head room	1,024
Front – Leg room	1,058
Front – Shoulder room	1,440
Rear – Head room	-
Rear – Leg room	-
Rear – Shoulder room	-
Vehicle Masses (kg)	
Axle rating – Front maximum	1,325
Axle rating – Rear maximum	1,850
Gross combination mass (GCM)	5,425
Gross vehicle mass (GVM)	2,925
Kerb mass	1,659
Payload – Maximum	1,266

XL 2WD Super Cab Wellside High ride	XLT 2WD Super Cab Wellside High ride	XL 2WD Double Cab Wellside (Automatic) High ride	XLT 2WD Double Cab Wellside (Automatic) High ride
511	511	511	511
1,847	1,847	1,549	1,549
835	835	835	835
1,560	1,560	1,560	1,560
1,330	1,330	1,330	1,330
1,139	1,139	1,139	1,139
835	835	835	835
28	29	28	29
28	28	27	28
24	25	24	25
5,359	5,351	5,359	5,351
1,860	1,860	1,860	1,860
905	905	905	905
1,234	1,226	1,234	1,226
1,560	1,560	1,560	1,560
800	800	800	800
3,220	3,220	3,220	3,220
232	237	232	237
1,804	1,810	1,815	1,821
1,024	1,024	1,022	1,022
1,058	1,058	1,058	1,058
1,440	1,440	1,440	1,440
938	938	986	986
796	796	902	902
1,400	1,400	1,430	1,430
1,480	1,480	1,480	1,480
1,850	1,850	1,850	1,850
6,000	6,000	6,000	6,000
3,200	3,200	3,200	3,200
1,942	2,053	1,995 (2,011)	2,090 (2,105)
1,258	1,147	1,205 (1,189)	1,110 (1,095)

S = Standard. – = Not available.

1. These results are obtained from controlled laboratory tests conducted by Ford Motor Company to Australia Design Rule ADR81/02 and are provided to assist you in comparing the fuel economy of Ranger with other like vehicles. The actual fuel consumption you will achieve will depend, however, on many factors including your driving habits, the prevailing conditions and your vehicles equipment, condition and use. 2. When fitted with a genuine Ford towbar and trailer wiring kit. 3. iPod is a trademark of Apple Inc. Connection cables sold separately. 4. Apple™ and Apple CarPlay™ are trademarks of Apple Inc., registered in the U.S. and other countries. Android™, Android Auto™ and Google Maps™ are registered trademarks of Google Inc. 5. Bluetooth® is a registered trademark of Bluetooth SIG Inc. and is used under licence. Customers should consult their Ford Dealer on the ability of their mobile phone handset to integrate with the Bluetooth® system prior to making a purchase decision. 6. Measurements taken using 16" wheel and 225 profile tyres and will be higher with 17" or 18" tyres. 7. Maintaining a steady speed of not more than 7km per hour.

RANGER 4WD SPECIFICATIONS

Body Style	XL 4WD Single Cab Chassis High ride (Special Order Only)	XL 4WD Super Cab Wellside High ride
Fuel Economy & Emissions		
Fuel Economy		
Combined fuel economy (L/100km) ¹	8.3	8.3
Urban fuel economy (L/100km) ¹	9.7	9.7
Extra-urban fuel economy (L/100km) ¹	7.4	7.4
Fuel		
Fuel	Diesel	Diesel
Fuel tank capacity (L)	80L	80L
Emissions Data		
CO ₂ emissions (g/km) ¹	218	218
Euro Stage V emission level	S	S
Safety		
5-Star Euro NCAP & ANCAP Safety Rating	S	S
Airbags – Driver & front passenger	S	S
Airbags – Side curtain front	S	-
Airbags – Side curtain front & rear	-	S
Airbags – Side thorax front	S	S
Adaptive Cruise Control	-	-
Adjustable Speed Limiting Device (ASLD)	S	S
Brakes – Anti-lock Braking System (ABS)	S	S
Brakes – Electronic Brakeforce Distribution (EBD)	S	S
Brakes – Emergency (Hazard warning) indicator lights	S	S
Brakes – Emergency Brake Assist (EBA)	S	S
Cruise Control	S	S
Collision Mitigation	-	-
Distance Indication / Distance Alert	-	-
Driver Alert	-	-
Electronic Stability Program (ESP) with Roll Over Mitigation	S	S
Front Parking Sensors	-	-
Forward Alert	-	-
Grade control logic	S	S
Hill Descent Control	S	S
Hill Launch Assist	S	S
ISOFIX (Lower anchorages)	-	-
Lane Departure Warning	-	-
Lane Keeping Aid	-	-
Load adaptive control	S	S
Rear child seat anchorage points (Top tether)	-	S
Rear parking sensors	-	S
Reversing camera	-	S
Seatbelts – Beltminder™ system (Driver & front passenger)	S	S
Seatbelts – Beltminder™ system (Rear seats)	-	S
Seatbelts – 3 point	S	S
Seatbelts – Pre-tensioners front	S	S
Trailer sway mitigation	S	S
Security		
Immobiliser – Passive Anti-theft System (PATS)	S	S
Locking – Fuel cap	S	-
Locking – Childproof rear	-	-
Locking – Remote central	S	S
Locking – Tailgate	-	S
MyKey®	-	-
Remote keyless entry with 2 stage unlocking & flip key	S	S
Alarm System	S	S

XLT 4WD Super Cab Wellside High ride	XL 4WD Double Cab Wellside (Automatic) High ride	XL 4WD Double Cab Chassis High ride	XLT 4WD Double Cab Wellside (Automatic) High ride	Wildtrak 4WD Double Cab Wellside High ride
8.7	8.3 (8.7)	8.3	8.3 (8.7)	8.9
11.2	9.7 (11.2)	9.7	9.7 (11.2)	11.4
7.3	7.4 (7.3)	7.4	7.4 (7.3)	6.7
Diesel	Diesel	Diesel	Diesel	Diesel
80L	80L	80L	80L	80L
229	218 (229)	218	218 (229)	234
S	S	S	S	S
S	S	S	S	S
S	S	S	S	S
-	-	-	-	-
S	S	S	S	S
S	S	S	S	S
-	-	-	-	S
S	S	S	S	S
S	S	S	S	S
S	S	S	S	S
S	S	S	S	S
S	S	S	S	S
S	S	S	S	-
-	-	-	-	S
-	-	-	-	S
-	-	-	-	S
S	S	S	S	S
S	-	-	S	S
-	-	-	-	S
S	S	S	S	S
S	S	S	S	S
S	S	S	S	S
S	S	S	S	S
S	S	S	S	S
S	S	S	S	S
-	S	S	S	S
-	-	-	-	S
-	-	-	-	S
S	S	S	S	S
S	S	S	S	S
S	S	-	S	S
S	S	-	S	S
S	S	S	S	S
S	S	S	S	S
S	S	S	S	S
S	S	S	S	S
S	S	S	S	S
S	S	S	S	S
S	S	S	S	S
-	-	S	-	-
-	S	S	S	S
S	S	S	S	S
S	S	-	S	S
S	-	-	S	S
S	S	S	S	S
S	S	S	S	S

RANGER 4WD SPECIFICATIONS (Continued)

Body Style	XL 4WD Single Cab Chassis High ride (Special Order Only)	XL 4WD Super Cab Wellside High ride
Engines & Performance		
Engines		
Duratorq 2.2L Turbo Diesel Common-rail Injection (TDCi)	-	-
Duratorq 3.2L Turbo Diesel Common-rail Injection (TDCi)	S	S
Alternator	110 AMP	110 AMP
Battery	12V 80 AMP	12V 80 AMP
Bore x stroke (mm)	89.9 x 100.76	89.9 x 100.76
Compression ratio	15.7:1	15.7:1
Displacement (cc)	3,198	3,198
Power – Maximum	147kW @ 3,000rpm	147kW @ 3,000rpm
Torque – Maximum	470Nm @ 1,500-2,750rpm	470Nm @ 1,500-2,750rpm
Valves	20	20
Transmission		
6-speed manual	S	S
6-speed automatic	-	-
Transmission Ratios		
1st	5.441	5.441
2nd	2.839	2.839
3rd	1.721	1.721
4th	1.223	1.223
5th	1	1
6th	0.794	0.794
Final drive	3.55	3.55
Reverse	4.935	4.935
Towing Capacity – Maximum (kg) ²		
Braked	3,500	3,500
Unbraked	750	750
Mechanical		
Auto Start / Stop	S	S
Battery Management System (BMS)	S	S
Electronic shift on the fly	S	S
eLocking rear differential	S	S
Engine Cover under hood	-	-
Tyre Pressure Monitoring System (TPMS)	-	-
Ride & Handling		
Brakes (mm)		
Front – Ventilated disc brakes with twin piston calipers	302 x 32	302 x 32
Rear – Drum	295 x 55	295 x 55
Suspension		
Front – Fully independent double wishbone, coil-over-strut design	S	S
Rear – Rear leaf design	S	S
Steering		
Electronic Power-Assisted Steering (EPAS)	S	S
Steering column – Tilt adjust	S	S
Turning circle – Kerb to kerb (m)	12.4	12.4
Turns to lock	3.5	3.5
Exterior Features		
Wheels & Tyres		
Wheel size	16" X 7.0"	16" X 7.0"
Wheel type	Steel	Steel
Tyre size	255/70 R16	255/70 R16
Spare wheel	16" Steel	16" Steel

XLT 4WD Super Cab Wellside High ride	XL 4WD Double Cab Wellside (Automatic) High ride	XL 4WD Double Cab Chassis High ride	XLT 4WD Double Cab Wellside (Automatic) High ride	Wildtrak 4WD Double Cab Wellside High ride
-	-	-	-	-
S	S	S	S	S
110 AMP	110 AMP	110 AMP	110 AMP	110 AMP
12V 68 AMP	12V 80 AMP (12V 68 AMP)	12V 80 AMP	12V 80 AMP (12V 68 AMP)	12V 68 AMP
89.9 x 100.76	89.9 x 100.76	89.9 x 100.76	89.9 x 100.76	89.9 x 100.76
15.7:1	15.7:1	15.7:1	15.7:1	15.7:1
3,198	3,198	3,198	3,198	3,198
147kW @ 3,000rpm	147kW @ 3,000rpm	147kW @ 3,000rpm	147kW @ 3,000rpm	147kW @ 3,000rpm
470Nm @ 1,500-2,750rpm	470Nm @ 1,500-2,750rpm	470Nm @ 1,500-2,750rpm	470Nm @ 1,500-2,750rpm	470Nm @ 1,500-2,750rpm
20	20	20	20	20
-	S	S	S	S
S	S	-	S	S
4.171	5.441 (4.171)	5.441	5.441 (4.171)	4.171
2.342	2.839 (2.342)	2.839	2.839 (2.342)	2.342
1.521	1.721 (1.521)	1.721	1.721 (1.521)	1.521
1.143	1.223 (1.143)	1.223	1.223 (1.143)	1.143
0.867	1 (0.867)	1	1 (0.867)	0.867
0.691	0.794 (0.691)	0.794	0.794 (0.691)	0.691
3.73	3.55 (3.73)	3.55	3.55 (3.73)	3.73
3.4	4.935 (3.4)	4.935	4.935 (3.4)	3.4
3,500	3,500	3,500	3,500	3,500
750	750	750	750	750
-	S (-)	S	S (-)	-
S	S	S	S	S
S	S	S	S	S
S	S	S	S	S
S	-	-	S	S
S	-	-	S	S
302 x 32	302 x 32	302 x 32	302 x 32	302 x 32
295 x 55	295 x 55	295 x 55	295 x 55	295 x 55
S	S	S	S	S
S	S	S	S	S
S	S	S	S	S
S	S	S	S	S
12.4	12.4	12.4	12.4	12.4
3.5	3.5	3.5	3.5	3.5
17" X 8"	16" X 7.0"	16" X 7.0"	17" X 8"	18" x 8"
Alloy	Steel	Steel	Alloy	Alloy
265/65 R17	255/70 R16	255/70 R16	265/65 R17	265/60 R18
17" x 7.5" Steel	16" Steel	16" Steel	17" x 7.5" Steel	18" x 8" Alloy

RANGER 4WD SPECIFICATIONS (Continued)

Body Style	XL 4WD Single Cab Chassis High ride (Special Order Only)	XL 4WD Super Cab Wellside High ride
Styling		
12V socket in bedliner	-	-
Bedliner	-	-
Inner tie downs – 6	-	S
Load rest – Integrated into wellside	-	S
Mudflaps – Front	S	S
Mudflaps – Rear	-	S
Outer tie down hooks	-	S
Privacy glass – Rear passengers & back windows	-	-
Roller Shutter	-	-
Roof rails	-	-
Side steps with moulded inserts (Bright inserts)	-	-
Side steps with moulded inserts (Brushed inserts)	-	-
Hoop sports bar (Plastic)	-	-
Wellside – Side rails	-	-
Lights		
Auto on/off headlamps	-	-
Brakes – Rear high mounted stop light	-	S
Cargo area light	-	S
Daytime Running Lights	S	S
Fog lights – Front	-	-
Manual headlamp levelling	S	S
Projector Headlights	-	-
Reflector headlamps	S	S
Visibility		
Mirrors – Power adjust, power fold, heated & with side indicators	-	-
Mirrors – Power adjust, power fold with side indicators, puddle lamps & heated	-	-
Mirrors – Power adjust with manual foldback	S	S
Rear demister	S	S
Wipers – Rain sensing	-	-
Wipers – Variable intermittent front	S	S
Body General		
Engine underbody protection	S	S
Fuel tank guard	S	S
Transfer case underbody protection	S	S
Stowage & Carrying		
Front towing eye	S	S
Roof rails	-	-
Towbar – Heavy duty	-	-
Interior Features		
Comfort & Convenience		
240V invertor	-	S
A-Pillar assist handle	S	S
Air conditioning – Dual Zone Climate Control (EATC)	-	-
Air conditioning – Manual	S	S
Armrest – 2nd row centre armrest with cupholder	-	-
Centre console with cooler box	-	-
Cruise control – Steering wheel mounted controls	S	S

XLT 4WD Super Cab Wellside High ride	XL 4WD Double Cab Wellside (Automatic) High ride	XL 4WD Double Cab Chassis High ride	XLT 4WD Double Cab Wellside (Automatic) High ride	Wildtrak 4WD Double Cab Wellside High ride
S	-	-	S	S
S	-	-	S	S
S	S	-	S	S
-	S	-	-	-
S	S	S	S	S
S	S	-	S	S
-	S	-	-	-
S	-	-	S	S
-	-	-	-	S
-	-	-	-	S
S	-	-	S	-
-	-	-	-	S
-	-	-	-	S
S	-	-	S	S
S	S	-	S	S
S	S	-	S	S
S	S	S	S	S
S	-	-	S	S
S	S	S	S	S
-	S	-	-	-
S	-	-	S	-
-	-	-	-	S
-	S	S	-	-
S	S	S	S	S
S	-	-	S	S
S	S	S	S	S
S	S	S	S	S
S	S	S	S	S
S	-	-	S	S
-	S	S	-	-
-	S	S	S	S
S	-	-	S	S
S	S	S	S	S

RANGER 4WD SPECIFICATIONS (Continued)

Body Style	XL 4WD Single Cab Chassis High ride (Special Order Only)	XL 4WD Super Cab Wellside High ride
Lighting – Ambient (Multicoloured)	-	-
Locking Glove Box	S	S
Overhead console with map lights & sunglass holder	S	S
Rear view mirror – Electro-chromatic	-	-
Sunvisors with ticket holder & illuminated vanity mirror (Driver & passenger)	-	-
Sunvisors with ticket holder (Driver) & vanity mirror (Passenger)	S	S
Windows – Power front, one touch & anti pinch	S	S
Windows – Power rear	-	-
Seats & Seatbelts		
Front seats – Heated	-	-
Head restraints – Front & rear height adjustable	S	S
Seat adjust – Manual 4-way driver	S	S
Seat adjust – Power 8-way driver	-	-
Seatbelts – Front & rear 3-point	S	S
Seatbelts – Front 3-point	S	-
Seats – Driver lumbar adjust	S	S
Seats – Driver's map pocket	-	-
Seats – Front bucket	S	S
Seats – Passenger map pocket	S	S
Trim – Caliber fabric	-	-
Trim – Circuit fabric	S	S
Trim – Penta fabric	-	-
Styling		
Floor – Carpet	-	-
Floor – Vinyl covering	S	S
Gear shift – Leather	-	-
Mats – Carpet Front driver	-	-
Mats – Carpet Front	-	-
Mats – Carpet Rear	-	-
Steering wheel – Leather wrapped	-	-
Steering wheel – Leather wrapped with contrast stitching	-	-
Audio, Communications & Instruments		
4" Multi-functional display screen (TFT)	S	S
8" Colour touch screen	-	-
Audio – 3.5mm auxiliary input	S	S
Audio – 4 speakers (Front)	S	-
Audio – 6 speakers	-	S
Audio – Dual radio tuner	S	S
Audio – MP3 compatibility	S	S
Audio – Single CD player	S	S
Audio – Steering wheel switches with voice control	S	S
Audio – USB & iPod integration ³	S	S
Apple Carplay™ & Android Auto™ Integration ⁴	-	-
Bluetooth® mobile phone integration with voice control ⁵	S	S
Satellite Navigation System	-	-
SD Card Slot	-	-
SYNC® in vehicle communication system	S	S
SYNC®3 infotainment system with Applink™	-	-
Trip computer	S	S
Warnings		
External temperature display	-	-
Frost warning	-	-
Washer fluid warning	S	S

XLT 4WD Super Cab Wellside High ride	XL 4WD Double Cab Wellside (Automatic) High ride	XL 4WD Double Cab Chassis High ride	XLT 4WD Double Cab Wellside (Automatic) High ride	Wildtrak 4WD Double Cab Wellside High ride
-	-	-	-	S
S	S	S	S	S
S	S	S	S	S
S	-	-	S	S
-	-	-	S	S
S	S	S	-	-
S	S	S	S	S
-	S	S	S	S
-	-	-	-	S
S	S	S	S	S
S	S	S	S	-
-	-	-	-	S
S	S	S	S	S
-	-	-	-	-
S	S	S	S	S
S	-	-	S	S
S	S	S	S	S
S	S	S	S	S
-	-	-	-	S
-	S	S	-	-
S	-	-	S	-
S	-	-	S	S
-	S	S	-	-
S	-	-	S	S
S	-	-	S	-
-	-	-	-	S
-	-	-	-	S
S	-	-	S	-
-	-	-	-	S
-	S	S	-	-
S	-	-	S	S
-	S	S	-	-
-	-	-	-	-
S	S	S	S	S
S	S	S	S	S
S	S	S	S	S
S	S	S	S	S
S	S	S	S	S
S	S	S	S	S
S	-	-	S	S
S	S	S	S	S
S	-	-	S	S
S	-	-	S	S
-	S	S	-	-
S	-	-	S	S
S	S	S	S	S
S	-	-	S	S
S	-	-	S	S
S	S	S	S	S

RANGER 4WD SPECIFICATIONS (Continued)

Body Style	XL 4WD Single Cab Chassis High ride (Special Order Only)	XL 4WD Super Cab Wellside High ride
Dimensions & Weights		
Cargo Dimensions (mm)		
Wellside – Depth floor to top (Side height)	-	511
Wellside – Floor level load length	-	1,847
Wellside – Loading height	-	835
Wellside – Maximum width	-	1,560
Wellside – Tailgate opening width	-	1,330
Wellside – Width between wheel arches	-	1,139
Exterior Dimensions (degrees)		
Approach angle – Unladen	28	28
Departure angle ⁶	28	28
Ramp breakover angle	24	24
Exterior Dimensions (mm)		
Ground clearance – Unladen	232	232
Height – Overall	1,800	1,804
Length – Overall	5,213	5,259
Width – Overall – (Excluding exterior rear view mirrors)	1,860	1,860
Overhang – Front	905	905
Overhang – Rear	985	1,234
Track – Front / Rear	1,560	1,560
Wading depth ⁷	800	800
Wheelbase	3,220	3,220
Interior Dimensions (mm)		
Front – Head room	1,024	1,024
Front – Leg room	1,058	1,058
Front – Shoulder room	1,440	1,440
Rear – Head room	-	938
Rear – Leg room	-	796
Rear – Shoulder room	-	1,400
Vehicle Masses (kg)		
Axle rating – Front maximum	1,480	1,480
Axle rating – Rear maximum	1,850	1,850
Gross combination mass (GCM)	6,000	6,000
Gross vehicle mass (GVM)	3,200	3,200
Kerb mass	1,841	2,036
Payload – Maximum	1,359	1,164

XLT 4WD Super Cab Wellside High ride	XL 4WD Double Cab Wellside (Automatic) High ride	XL 4WD Double Cab Chassis High ride	XLT 4WD Double Cab Wellside (Automatic) High ride	Wildtrak 4WD Double Cab Wellside High ride
511	511	-	511	511
1,847	1,549	-	1,549	1,549
835	835	-	835	835
1,560	1,560	-	1,560	1,560
1,330	1,330	-	1,330	1,330
1,139	1,139	-	1,139	1,139
29	28	28	29	29
28	28	28	28	28
25	24	24	25	21
237	232	232	237	237
1,810	1,815	1,815	1,821	1,848
5,351	5,359	5,313	5,351	5,351
1,860	1,860	1,860	1,860	1,860
905	905	905	905	905
1,226	1,234	985	1,226	1,226
1,560	1,560	1,560	1,560	1,560
800	800	800	800	800
3,220	3,220	3,220	3,220	3,220
1,024	1,022	1,022	1,022	1,022
1,058	1,058	1,058	1,058	1,058
1,440	1,440	1,440	1,440	1,440
938	986	986	986	986
796	902	902	902	902
1,400	1,430	1,430	1,430	1,430
1,480	1,480	1,480	1,480	1,480
1,850	1,850	1,850	1,850	1,850
6,000	6,000	6,000	6,000	6,000
3,200	3,200	3,200	3,200	3,200
2,151	2,090 (2,108)	1,965	2,189 (2,202)	2,250
1,049	1,110 (1,092)	1,235	1,011 (998)	950

S = Standard. – = Not available.

1. These results are obtained from controlled laboratory tests conducted by Ford Motor Company to Australia Design Rule ADR81/02 and are provided to assist you in comparing the fuel economy of Ranger with other like vehicles. The actual fuel consumption you will achieve will depend, however, on many factors including your driving habits, the prevailing conditions and your vehicles equipment, condition and use. 2. When fitted with a genuine Ford towbar and trailer wiring kit. 3. iPod is a trademark of Apple Inc. Connection cables sold separately. 4. Apple™ and Apple CarPlay™ are trademarks of Apple Inc., registered in the U.S. and other countries. Android™, Android Auto™ and Google Maps™ are registered trademarks of Google Inc. 5. *Bluetooth®* is a registered trademark of Bluetooth SIG Inc. and is used under licence. Customers should consult their Ford Dealer on the ability of their mobile phone handset to integrate with the *Bluetooth®* system prior to making a purchase decision. 6. Measurements taken using 16" wheel and 225 profile tyres and will be higher with 17" or 18" tyres. 7. Maintaining a steady speed of not more than 7km per hour.

FORD RANGER





Quality

We design and build your Ford to feel as good after many years of service, as it did the day you picked it up. And to drive just as beautifully, too.



Sustainability

Using advanced technology, we're committed to creating vehicles with improved fuel economy, reduced CO₂ emissions and a lower overall cost of ownership.



Safe

Ford's Intelligent Protection System uses sophisticated technology designed to help prevent an accident and, if one should happen, to help protect you.



Smart

Vehicles with smart, intuitive technologies designed to connect you to your world and many clever solutions from Ford that make life a little easier.

3 Year/100,000km Warranty¹

Covers your Ranger against defects in factory materials or workmanship for the first 36 months or 100,000 kms – whichever comes first.

15,000 kms Service Intervals¹

Improved oil technology and engineering refinement has enabled Ford to offer normal scheduled service intervals of 15,000 kms or every 12 months, whichever comes first.

Ford Roadside Assistance¹

For the first 36 months, Ford gives new Ranger owners complete peace of mind motoring with New Zealand's most reassuring roadside emergency service. Free accommodation or a free rental car are just some of the outstanding features of this unique service.

Five Year Perforation Corrosion Warranty¹

Covers the original vehicle's body against perforation corrosion for the first five years of its life.

Ford Customer Assistance Centre

You'll always find us responsive to your needs. Telephone 0800 FORD NZ (0800 367 369).

Finance and Lease Options

Choosing how to finance your vehicle is a major decision – My Ford Finance can get you the Ford you want, when you want it. Fully maintained or non-maintained operating leases remove the worry

of depreciation, inflation and more importantly do not tie up your capital in an asset. Other forms of financing are also available. Flexible deposits and repayment terms mean that a plan can be structured for your specific needs. See your Ford Dealer to discuss your financing or leasing requirements.

MY FORD FINANCE

Ford Solutions

You deserve to have a worry-free journey every time you set off in your Ford. Ford Solutions provide you with a 'no problems' solution tailored to suit your lifestyle. The range of services includes:

- Motor Vehicle Insurance – Three levels of cover offer you hassle-free insurance coverage
- Guaranteed Asset Protection (GAP) Insurance – Provides cover for the 'gap' between the value of your insurance payout and the amount owing on your finance or lease agreement
- Payment Protection Insurance – Helps protect your payments against unforeseen circumstances, such as redundancy, illness and death
- New Vehicle Extended Mechanical Breakdown Insurance – Acts as an extension of your original Ford warranty
- Extended Roadside Assistance – Extends the premium roadside assistance which is standard on new Ford vehicles

Simply call in and see your participating Ford Dealer today.

¹ Conditions apply. Further information on these warranties and services may be obtained from your Authorised Ford Dealer.

This brochure was designed to provide you with a general introduction to your Ranger and was correct at time of going to print. However, Ford's policy is one of continuous product development. The right is reserved to change specifications, colours and prices of the models and items illustrated and described in this publication at any time. For the latest details always consult your Ford Dealer.

FORD MOTOR COMPANY OF NEW ZEALAND LIMITED. Private Bag 76-912, Manukau City, New Zealand. Printed February 2017. FOR5107

