Transit Custom & Tourneo

2023.75MY







All-New Transit and Tourneo Custom 2023.75MY Specifications







320 SWB Van

320 LWI

	Trend Single Cab SWB Van	Trend Single Cab LWB Van	Trend Tourneo LWB Bus
Engine			
Maximum Power	125kW / 3,500rpm	125kW / 3,500rpm	100kW / 3,250-3,500rpm
Maximum Torque	390Nm / 1,750-2,500rpm	390Nm / 1,750-2,500rpm	360Nm/ 1,500-2,500rpm
Transmission			
8-speed Automatic Transmission w/ Auto Start-Stop	S	S	S
Driveline			
FWD	S	S	S
Selectable Drive Modes:			
Normal	S	S	
Eco	S	S	
Slippery	S	S	S
Fuel			
Combined Fuel Economy (L/100km) ²	8.2	8.2	8.4
CO2 Emissions (g/km) ²	214	214	219
Fuel Tank Capacity (L)	55	55	55
AdBlue® Tank Capacity (L)	20	20	20
Fuel Type	Diesel	Diesel	Diesel
Vehicle Masses³ (kg)			
Gross Combined Mass	5,725	5,725	5,725
Gross Vehicle Mass	3,225	3,225	3,225
Front Gross Axle Weight Rating	1,600	1,700	1,750
Rear Gross Axle Weight Rating	1,900	1,850	1,675
Minimum Kerb Weight	1,906	1,952	2,304
Maximum Payload (based on Min Kerb Weight)	1,319	1,273	921
Tare Weight	1,822	1,868	2,212
Wheels			
16" Steel w/ Wheel Cover & All Season Tyres	S	S	
16" Alloy w/ All Season Tyres	_	-	S
Spare Wheel – 16" Steel	S	S	S
Interior Dimensions ⁴ (mm)			
2nd Row Headroom	_		1,007
2nd Row Legroom	_	_	937
2nd Row Shoulder Room (at Beltline)		_	1,696
2nd Row Hip Room		_	1,705
2nd Row Knee Room	_	_	194
3rd Row Headroom	-	_	998
3rd Row Legroom	-	_	982
3rd Row Shoulder Room (at Beltline)	_	_	1,612
3rd Row Hip Room	-	_	1,516
3rd Row Knee Room	_		84
Front Driver Headroom	1,016	1,016	1,016
Front Legroom	1,027	1,027	1,027
Front Shoulder Room	1,614	1,614	1,614
Exterior Lighting			
Headlamps – LED	S	S	S
Daytime Running Lamps – LED	S	S	S
Taillamps – Halogen	S	S	S
High Mounted Stop Light	S	S	S

3 Van	320 LWB Tourneo		
	Trend Single Cab SWB Van	Trend Single Cab LWB Van	Trend Tourneo LWB Bus
Exterior			
Exterior Mirrors – Heated, Power	S	S	S
Adjustable & Power Folding			
Dual Side Load Doors	S	S	S
Rear Tailgate w/ Fixed Rear Window	S	_	S
Rear Barn Doors w/ Fixed Rear Window	_	S	_
Front & Rear Mud Flaps	S	S	S
Front & Rear Bumpers Partial Body Colour	S	S	S
Exterior Mirrors Finish	Black	Black	Body Colour
Rear Wash & Wiper			S
2nd & 3rd Row Glazing	_		S
2nd Row Flip Open Windows			S
Low Roof Line	S	S	S
Van Load Area Elements			
Rear Barn Door 90° Check Arms		S	_
Full Height Load Area Protection – Hexapan	S	S	_
Plastic Load Floor Liner	S	S	-
Audio & Communication			
Embedded Modem	S	S	S
FordPass Connect ⁵	S	S	S
Colour Digital Instrument Cluster	S	S	S
Colour Multi-Function Touch Screen Display – 13-inch	S	S	S
Speakers	4	4	10
Bluetooth® w/ Phone/Audio Streaming ⁶	S	S	S
Built-In Satellite Navigation w/ one year of Connected Navigation Services included ⁷	S	S	S
SYNC® 4A w/ Voice-Activated Controls®	S	S	S
Steering Wheel Audio/Function Control	S	S	S
Wireless Apple CarPlay™ & Android Auto™ ⁹	S	S	S
Safety & Security			
Airbags x 6 – Front, Side & Curtain	S	S	-
Airbags x 10 – Front, Side, Curtain & Full Length Rear Curtain	-	-	S
3 Point Lap Sash Seat Belt – All Positions	S	S	S
Power Door Locks	S	S	S
Push Button Start	S	S	
Smart Keyless Entry w/ Push Button Start	-	-	S
Lockable Glovebox	S	S	S
Driver Assistance Features ¹¹			
ntelligent Speed Assist	S	S	S
Auto Headlamp On-Off & Auto High Beam	S	S	S
Blind Spot Monitoring w/ Cross Traffic Alert	S	S	S
Driver & Passenger Exit Warning	S	S	S
Intelligent Adaptive Cruise Control w/ Stop & Go & Traffic Sign Recognition ¹²	S	S	S
Dynamic Stability Control (DSC) ncorporating ABS, Electronic Brakeforce Distribution, Emergency Brake Assist, Hill Start Assist, Load Adaptive Control, Roll Over Mitigation & Traction Control	S	S	S
Evasive Steer Assist	S	S	S
Lane Keeping Aid w/ Road Edge Detection & Driver Alert System ¹³	S	S	S
Post Impact Braking	S	S	S
Pre-Collision Assist w/ Autonomous	S	S	S

Jrneo	V
Jrneo WB	
Bus	S v
	ľ
S	L
S	
S	
_	
S	. <u> </u>
S	_
Colour	
	. <u>F</u>
S S	. <u>F</u>
S	
S	· N
5	
	N
_	
-	N
_	F
	N (
S	l <u>(</u>
S	. (
S	
S	
10	. <u>N</u>
S	
S	. (E
S	
S	
S	. <u>v</u>
5	<u>v</u>
	_
_	<u> </u>
S	
S	
S	. <u>F</u>
-	. <u>F</u>
S	. <u>v</u>
S	_
S	
	. <u>A</u>
S	. <u></u>
S	
S	· _ ·
S	
	_
S	C
S	
S	_
S	
S	T)

Emergency Braking (AEB)14 S = Standard

	Trend Single Cab SWB Van	Trend Single Cab LWB Van	Trend Tourneo LWB Bus
Reverse Brake Assist ¹⁵	S	S	S
Parking Sensors – Front & Rear	S	S	S
Rear View Camera	S	S	S
Traffic Sign Recognition	S	S	S
Tyre Pressure Monitoring System	S	S	S
Towing			
Maximum Braked Towing Capacity (kg) ¹⁶	2,500	2,500	2,500
Warranty & Servicing			
Warranty – 5 years or 150,000kms whichever comes first ¹⁷	S	S	S
Servicing – 1 Year or 20,000kms whichever comes first	S	S	S
Load Area Dimensions ⁴ (mm)			
Load Length at 0.5m High	2,647	3,047	_
Upper Cargo Length	2,394	2,794	
Centre of Load Length to Rear Axle	451	651	
Cargo Height at Rear Wheel Centreline	1,427	1,425	
Side Door Entry Width	1,030	1,030	1,030
Side Load Door Entry Height	1,301	1,301	1,301
Rear Door/Tailgate Entry Width	1,400	1,400	1,400
Rear Door/Tailgate Entry Height	1,400	1,314	1,314
Maximum Load Space Length			۱ ۰۰۰ کورا
(up to Bulkhead) Maximum Load Space Length	2,602	3,002	
(includes Under seat Storage)	3,050	3,450	
Maximum Load Space Width	1,777	1,777	
Load Space Between Wheel Arches	1,392	1,392	
Maximum Load Floor to Roof	1,433	1,433	
Rear Door Loading Height	575	575	575
Maximum Load Space (w/ Bulkhead) (cu.m)	5.8	6.8	
Load Space (behind Bulkhead) (SAE) (cu.m)	5.7	6.6	
Load Space (w/ bulkhead) (VDA) (cu.m)	5.2	6.0	
Max. / Min Load Space (behind 1st Row) (VDA) (litre) Max. / Min Load Space (behind 2nd Row)	_	_	4,343
(VDA) (litre) Max. / Min Load Space (behind 3rd Row)	_	_	2,285 / 2,064
(VDA) (litre)	-	-	999 / 632
Exterior Dimensions ⁴ (mm)			
Overall Length	5,050	5,450	5,450
Width – Exterior Mirrors Extended	2,275	2,275	2,275
Width – Exterior Mirrors Folded	2,148	2,148	2,148
Width – Excluding Mirrors	2,032	2,032	2,032
Maximum Body Width	1,999	1,999	1999
Overall Height	1,968	1,968	1,968
Front Overhang	958	958	958
Rear Overhang	992	992	992
Front & Rear Track	1,730 / 1,724	1,730 / 1,724	1,730 / 1,724
Wheelbase	3,100	3,500	3,500
Front of Vehicle to Front Wheel Centre	958	958	958
Rear of Vehicle to Rear Wheel Centre	992	992	992
Ground Clearance (minimum)	140	140	140
Approach Angle (GVM) (degrees)	17°	-	_
Departure Angle (GVM) (degrees)	16°	_	_
Ramp Breakover Angle (GVM) (degrees)	13°	11°	11°
Turning Circle (metres)	10.9	12.1	12.1

	Trend Single Cab SWB Van	Trend Single Cab LWB Van	Trend Tourneo LWB Bus
Interior, Seating & Door Trim			
Leather Wrapped Steering Wheel	S	S	S
Steering Wheel Height & Tilt Adjust	S	S	S
Electric Parking Brake	S	S	S
Overhead Console	S	S	S
Seating Capacity	3	3	9
Heated Seats – Front Driver & Passenger	S	S	S
Seat Material – Cloth	S	S	S
Driver Seat – 6-way Manual w/ Lumbar Support	S	S	S
Dual Front Passenger Seat	S	S	S
Drivers Seat Arm Rest	S	S	S
2nd Row Individual Seats w/ Recline	-	_	S
3rd Row Single & Double Seat w/ Recline	-	_	S
Child Seat Upper Anchorage Points (x 4)	_	_	S
Child Seat ISOFIX Anchorage Points (x 4)	-	-	S
Floor Covering – Rubber	S	S	-
Floor Covering – Carpet	-	_	S
Sun Blinds	-	-	S
Interior, Seating & Door Trim			
Quickclear Heated Windscreen	S	S	S
Door Storage	S	S	S
Centre Console Cup Holder	S	S	S
Instrument Panel Cup Holders	S	S	S
Charging:			
12V Power Outlet	2	2	2
Type A & C USB Ports	1	1	3
400W Inverter	S	S	S
Wireless Charging ¹⁰	S	S	S
Instrument Panel Storage Compartment	S	S	S
Climate Control – Dual-Zone	S	S	-
Climate Control – Tri-Zone	-	_	S
Rear Air Vent Registers	-	_	S
LED Compartment Light	S	S	S
Front Power Windows	S	S	S
Privacy Glass	-	_	S
Rain Sensing Windscreen Wipers	S	S	S
Rear Window Defroster	S	S	S
Day/Night Rear View Mirror	S	S	S
Under seat Stowage	S	S	S
Track Based Rear Seating	-	-	S
Tiedown Loops	6	8	4
Overhead Console Light	S	S	S
Rear Reading Lights	-	_	S
Chassis & Suspension			
Front & Rear Vented Discs w/ Electronic Brake Booster	S	S	S
Electric Power Assisted Steering	S	S	S
Rear Independent Suspension	S	S	S
Exterior Colours			
Frozen White	0	0	0
Moondust Silver	0	0	0
Agate Black	0	0	0
Magnetic	0	0	0

= Standard

O = Optional

Choose your colour









Frozen White Moondust Silver

Agate Black Magnetic

FORD **SERVICE**

Our Commitment to You

Convenience. Reliability. And no nasty surprises. That's what service should be. And that's exactly what Ford promises when you have your car serviced. Feel at ease knowing that your car is being serviced by factory trained technicians using specialised diagnostic equipment. After all, nobody knows your Ford better than we do.















Service Made Easy

When you service at Ford with our factory trained technicians, your peace of mind is our top priority. We use only Genuine Ford Parts and provide you with a vehicle health report, so you know your vehicle is being maintained the way it should. Take advantage of all the Ford Service Benefits on offer.

Oil Life Monitoring System (IOLM)

The Intelligent Oil Life Monitor is a smart system that measures the performance of your vehicle's oil and alerts you that the oil needs changing via the instrument cluster or FordPass⁵ App.

- Warranty conditions and exclusions apply. 5 year/150,000 km Ford Express New Vehicle Warranty applies to
 demonstrator, dealership and service loaner first registered by the Authorised Ford Dealer from 1 September 2018.
 Warranty period commences on the date of delivery except where the vehicle is a dealership, demonstration or
 service loaner vehicle, in which case it commences on the date on which it was first registered by an Authorised
 Ford Dealer. Tyres and tyre tubes are excluded. Shock absorbers and batteries are subject to shorter warranty periods.
 www.ford.co.nz/owners/warranty for further information.
- 2. Is available at participating Dealers. See www.ford.co.nz/owners/service/ for full terms and conditions. Vehicle model availability may vary. Available at participating dealers on scheduled logbook services or overnight warranty repairs. For private, business and fleet customers. Booking required Participating Dealers may require customers to comply with general usage conditions.

This brochure was designed to provide you with a general introduction to your Transit or Tourneo and was correct at time of going to print. However, Ford's policy is one of continuous product development. The right is reserved to change specifications, colours and prices of the models and items illustrated and described in this publication at any time. For the latest details always consult your Ford Dealer.

FORD MOTOR COMPANY OF NEW ZEALAND LIMITED. Private Bag 76-912, Manukau City, New Zealand. September 2023, FOR 4623

1. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for details and limitations, 2. Fuel consumption and emissions as per WLTP3 (combined cycle) and to be used for vehicle comparison purposes only. It is unlikely that these fuel consumption and emissions figures will be achieved in real world driving conditions Actual fuel consumption and emissions will depend on many factors including the driver's habits, prevailing conditions and the vehicle's equipment, options and accessories, condition and use. 3. Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with the heaviest possible combination of factory fitted optional equipment included. Minimum Kerb Weight includes the vehicle with a full tank of fuel, without occupants, luggage or cargo and with the lightest possible orderable combination of factory fit equipment. Tare Weight includes the vehicle with 10L of fuel, without occupants, luggage or cargo and with the heaviest possible combination of factory fitted optional equipment included. All payloads are calculated by deducting either the vehicle's Kerb Weight, Minimum Kerb Weight or Tare Weight from its Gross Vehicle Mass (GVM), Payload (based on Kerb Weight) is the maximum combined value of occupants, cargo, added accessories, added structures and tow ball download (when towing). Vehicle weights are approximate and subject to individual variances. Vehicles should be weighed before and after adding additional load, accessories or towing a trailer to ensure the maximum Gross Vehicle Mass (GVM), Gross Combined Mass (GCM) and Gross Axle Weight Ratings are not exceeded. 4. Vehicle dimensions are approximate and subject to individual vehicle variances, and should be confirmed before fitting any accessories or otherwise relying on this value. 5. Use of FordPass is subject to the FordPass Terms and Privacy Policy available on ford.co.nz/FordPass and requires a compatible mobile device, internet access and software (including software updates from time to time). FordPass functionality and appearance may change over time due to software updates. You are responsible for internet access, mobile network data and voice call services required for your use of the FordPass App on your mobile device, including associated fees The FordPass App and FordPass Connect modern can only work when both are connected to the telecommunications network. The FordPass Connect modern will only function on the 3G or 4G telecommunications networks. When these networks are no longer available, the modern will stop functioning and the connected services and all data transmission via the modern will cease. Ford cannot guarantee that FordPass will be in fully operating condition at all times and the FordPass App may be unavailable. or particular FordPass services interrupted. Ford is not responsible for any limitations or restrictions of the telecommunications network or of your mobile device. Warning: Local laws prohibit some phone functions while driving. Check your local road rules before using these functions. Use Remote Vehicle Start and Stop responsibly and only in well ventilated areas where you are aware of your vehicle's surroundings, 6. Bluetooth® is a registered trademark of Bluetooth SIG. Inc. and is under license, Some phones not compatible. 7. Eligible vehicles receive Connected Navigation Services for 1 year from the Ford Express New Vehicle Warranty start date, after which time the Connected Navigation Services may cease to be available, or may be subject to a subscription fee To use Connected Navigation Services, users must have created a FordPass App account (terms apply), have fully activated the vehicle's FordPass Connect modern and have SYNC Location set to 'on', 8, Don't drive distracted. Use voice operated systems where possible and don't use handheld devices while driving. Some features may be locked out while the vehicle is in gear. Not all SYNC features are compatible with all phones. SYNC screen appearance and functionality may change over time due to software updates. 9. Apple CarPlay™/Android Auto™ requires compatible phone with compatible version of Apple iOS/Android™(as applicable) and active data service. SYNC does not control Apple CarPlay™/Android Auto™ while in use. Apple/Google and other third parties are responsible for their respective functionality. Message and data rates may apply. Apple CarPlay, Siri Eyes Free, iPod and iPhone are trademarks of Apple Inc. registered in the US and other countries. Android Auto and Google Maps are trademarks of Google Inc. Ford Applink® is available on selected SYNC models and is compatible with select smartphone platforms. 10. Wireless Charging only available with compatible phones. 11. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. 12. The iACC system will not always detect the correct speed limit and may set a vehicle speed that is above or below the actual speed limit. If the system does this, it can be overridden by the driver applying the brake or accelerator. The Stop and Go functionality of this system operates as low as Okm/hr in traffic iam situations. Customers should read the Owner's Manual for full details of the limitations of the iACC system before activating the system. 13. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Road Edge Detection designed for use on rural roads at speeds of 65 – 110km/h. The feature does not detect every edge and does require a level of contrast between the road surface and the edge. 14. Driver-assist features are supplemental and do not replace the driver's attention, judgment and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. See Owner's Manual for more information. Pre-collision Assist with Automatic Emergency Braking detects pedestrians, but not in all conditions, and can help avoid or reduce a collision. It does not replace safe driving. See Owner's Manual for Limitations. 15. Driver-assist features are supplemental and do not replace the driver's attention, judgement and need to control the vehicle. May not operate at certain speeds, or in certain driving, road or weather conditions. Please see Owner's Manual for more information. Reverse Brake Assist functions when in reverse and travelling at a speed of 2-12 km/h. 16. Maximum towing capacity-braked To comply with these limits, occupants and / or luggage may need to be restricted to not exceed the GCM and GVM limits. For further details regarding passenger and luggage restrictions, please consult your authorized Ford Dealer and / or refer to the Owner's Manual. 17. Warranty conditions apply. 5 year/unlimited km Ford Express New Vehicles Warranty applies to ne demonstrator and service loaner vehicles. For full details please visit our Warranties page at: https://www.ford.co.nz/owners/warranties

